



LTX
LIGHTING SOLUTIONS

2023


WORKING CATALOGUE

Indoor

Ceiling recessed



RIO	RIO A	DROP IN	CELL
16	18	20	22




KARDAN	INVISIBLE SQUARE	INVISIBLE MINI R	TUB M R
24	26	26	30



TUB M IN	TUB M OUT	SOL IN	NANO TUB S
32	36	38	42

Indoor

Ceiling recessed




NANO R TRIMLESS	NANO S	NANO R WALL WASHER	NANO S WALL WASHER
44	46	48	49



VARIO LINEA	VARIO COMFORT	VARIO WALL WASHER
51	54	56

Wall recessed




IN WALL RING	IN WALL O
58	58

Indoor

Wall surface



BUTTON R
60



BUTTON SM
62




STRAIGHT
64



ROD
68



SLIMLINE
72



SFERA WALL S
76



SFERA WALL M
78

Indoor

Ceiling surface



TUB M
80



TUB L
87



ROLL
88




BLOCK
90



BOX
91



SOL SURF
92



TURBINE
94



DISK
96



BRIGHT
98



FLAT S
99



FLAT R
100

Indoor

Ceiling suspended



TUB XS P
104



MATCH S P
106



TUB S P
110



TUB S P ZOOM
116



TUB M P
118



TUB M P ZOOM
122



BALL
124



SLIMLINE
128



POINTER
130



OFFICE
132



PROFILE
134

Floor



POINTER FLOOR
136

Indoor

Track 42V



**MINI_LINE 42
TRACK S**
140


Tracklights 42V



**MINI_LINE 42
LINEA**
144



**MINI_LINE 42
COMFORT**
146




**MINI_LINE 42
TUB XS**
148



**MINI_LINE 42
TUB S**
150

Indoor

Track 48V




IN_LINE
TRACK T
154

IN_LINE
TRACK R
156

IN_LINE
TRACK S
158

IN_LINE SHORT
TRACK S
166

Tracklights 48V



IN_LINE
LINEA
178

IN_LINE
COMFORT
180

IN_LINE
WALL WASHER
181

IN_LINE
TUB XS
182



IN_LINE
COMFORT B 205
184

IN_LINE
LINEA B 205
184

IN_LINE LED
INDIRECT
186

Indoor

Tracklights 48V




IN_LINE
TUB XS
188

IN_LINE
TUB S
190

IN_LINE
TUB S X2
191

IN_LINE
ZOOM
192




IN_LINE
TUB M NB
193

IN_LINE
GALLERY
194

IN_LINE
TUB M A 90
196

IN_LINE
TUB M A 140
198



IN_LINE
SOL MINI
200


IN_LINE
SOL
201

IN_LINE
WIN
202

IN_LINE
SFERA
202

Indoor

Tracklights 48V




IN_LINE
ART
202

IN_LINE
STICKS
204

IN_LINE
BALL M
206

IN_LINE
BALL L
207



IN_LINE
TUB XS P
208

IN_LINE
MATCH
210

IN_LINE
TUB S P
212

IN_LINE
TUB S P ZOOM
215



IN_LINE
TUB M P
216

IN_LINE
TUB M P ZOOM
217

IN_LINE
CONE
218

IN_LINE
DISK
218

Indoor

Tracklights 48V



IN_LINE
LINEA
222

IN_LINE
COMFORT
222

IN_LINE
LINEA B 205
223

IN_LINE
COMFORT B 205
223



IN_LINE
TUB S A 60
224

IN_LINE
TUB M A 90
224

IN_LINE
TUB M A 140
225

IN_LINE
SOL
226

Outdoor

Ceiling



RAIN IP
232

KASK
234

BARREL76 S
234

BIM70 S
236

Wall surface



GRAPH1
238

GRAPH2
238

BRICK 1
240

BRICK 2
240




BUTTON IP
242

ON WALL
244

ON WALL IP
246

WIN IP
248

Wall recessed



IN WALL IP
250

IN WALL IP
252

IN WALL DOT
254

Spot light




VISOR50
256

VISOR72
256

VISOR140
258

Outdoor

In ground



UPP77
260

UPP77 WW
260

UPP 220V
260

Bollards



BARD1 68
262

BARD2
264

BARD3
266

BARD4
268



BARD5
270

BARD6
272



YARD 2
274

YARD
276

YARD 1
276

Indoor

LED Strip



120 LED/m
3000K/4000K
280



120 LED/m
2300K
284



128 LED/m
3000K
286



192 LED/m
3000K/4000K
288



COF LED
3000K/4000K
290



120 LED/m
RGB
292



168 LED/m
RGB
292



60 LED/m
RGBW
294



140 LED/m
TUNABLE WHITE
296




NEON LED STRIP
3000K/4000K
298




FLEXY
2700K/3000K
300

Indoor


Profile recessed




PROFILE
COUNTUR
302




PROFILE
CENTRAL 1
304



PROFILE
CENTRAL 2
304




PROFILE
COUNTUR TRIM
305



PROFILE
MINI TRIM
305




PROFILE
IN
306




PROFILE
OUT
306




PROFILE
IN SURF
309



PROFILE
FLOOR IN
310




PROFILE
FLOOR IN
310



PROFILE
FLOOR
311

RIO




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6480.10.930.WH	924	9	3000	>90	250	White
01.6480.10.930.BK	924	9	3000	>90	250	Black
01.6480.10.940.WH	989	9	4000	>90	250	White
01.6480.10.940.BK	989	9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318

RIO F1



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6480F1.10.930.WH	924	9	3000	>90	250	White
01.6480F1.10.930.BK	924	9	3000	>90	250	Black
01.6480F1.10.940.WH	989	9	4000	>90	250	White
01.6480F1.10.940.BK	989	9	4000	>90	250	Black




MATERIAL | AL

[i](#) » 318




01.6480.10.930.BK



01.6480F1.10.930.BK

RIO F2




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6480F2.20.930.WH	2 x 924	2 x 9	3000	>90	250	White
01.6480F2.20.930.BK	2 x 924	2 x 9	3000	>90	250	Black
01.6480F2.20.940.WH	2 x 989	2 x 9	4000	>90	250	White
01.6480F2.20.940.BK	2 x 989	2 x 9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318

RIO F3



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6480F3.30.930.WH	3 x 924	3 x 9	3000	>90	250	White
01.6480F3.30.930.BK	3 x 924	3 x 9	3000	>90	250	Black
01.6480F3.30.940.WH	3 x 989	3 x 9	4000	>90	250	White
01.6480F3.30.940.BK	3 x 989	3 x 9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318




01.6480F2.20.930.BK



01.6480F3.30.930.BK

RIO A




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6490.10.930.WH	924	9	3000	>90	250	White
01.6490.10.930.BK	924	9	3000	>90	250	Black
01.6490.10.940.WH	989	9	4000	>90	250	White
01.6490.10.940.BK	989	9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318

RIO A F1




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6490F1.10.930.WH	924	9	3000	>90	250	White
01.6490F1.10.930.BK	924	9	3000	>90	250	Black
01.6490F1.10.940.WH	989	9	4000	>90	250	White
01.6490F1.10.940.BK	989	9	4000	>90	250	Black



MATERIAL | AL



[i](#) » 318



01.6490.10.930.BK

01.6490F1.10.930.BK

RIO A F2




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6490F2.20.930.WH	2 x 924	2 x 9	3000	>90	250	White
01.6490F2.20.930.BK	2 x 924	2 x 9	3000	>90	250	Black
01.6490F2.20.940.WH	2 x 989	2 x 9	4000	>90	250	White
01.6490F2.20.940.BK	2 x 989	2 x 9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318




01.6490F2.20.930.WH

01.6490F2.20.930.BK

DROP IN

NEW



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.7754.13.930.GL	1041	13	3000	>90	350	Transparent
01.7754.13.940.GL	1041	13	4000	>90	350	Transparent




MATERIAL | AL GL

» 318




CELL



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2010.10.930.WH	924	9	3000	>90	250	White
01.2010.10.930.BK	924	9	3000	>90	250	Black
01.2010.10.940.WH	989	9	4000	>90	250	White
01.2010.10.940.BK	989	9	4000	>90	250	Black

MATERIAL | AL (i) » 318

CELL 2



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.20F2.20.930.WH	2 x 924	2 x 9	3000	>90	250	White
01.20F2.20.930.BK	2 x 924	2 x 9	3000	>90	250	Black
01.20F2.20.940.WH	2 x 989	2 x 9	4000	>90	250	White
01.20F2.20.940.BK	2 x 989	2 x 9	4000	>90	250	Black


MATERIAL | AL (i) » 318



01.2010.10.930.BK

01.20F2.20.930.BK

CELL 3



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.20F3.30.930.WH	3 x 924	3 x 9	3000	>90	250	White
01.20F3.30.930.BK	3 x 924	3 x 9	3000	>90	250	Black
01.20F3.30.940.WH	3 x 989	3 x 9	4000	>90	250	White
01.20F3.30.940.BK	3 x 989	3 x 9	4000	>90	250	Black


MATERIAL | AL (i) » 318



01.20F3.30.930.WH

01.20F3.30.930.BK

KARDAN 1




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6100.13.930.WHW	924	9	3000	>90	250	White/White
01.6100.13.930.WH	924	9	3000	>90	250	White
01.6100.13.930.BK	924	9	3000	>90	250	Black
01.6100.13.940.WHW	989	9	4000	>90	250	White/White
01.6100.13.940.WH	989	9	4000	>90	250	White
01.6100.13.940.BK	989	9	4000	>90	250	Black




MATERIAL | AL

» 318

KARDAN 2




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.6110.26.930.WHW	2 x 924	2 x 9	3000	>90	250	White/White
01.6110.26.930.WH	2 x 924	2 x 9	3000	>90	250	White
01.6110.26.930.BK	2 x 924	2 x 9	3000	>90	250	Black
01.6110.26.940.WHW	2 x 989	2 x 9	4000	>90	250	White/White
01.6110.26.940.WH	2 x 989	2 x 9	4000	>90	250	White
01.6110.26.940.BK	2 x 989	2 x 9	4000	>90	250	Black



MATERIAL | AL


» 318



01.6110.26.930.WHW




01.6110.26.930.WH



01.6110.26.930.BK



INVISIBLE SQUARE




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2212.9.930.WH	924	9	3000	>90	250	White
01.2212.9.930.BK	924	9	3000	>90	250	Black
01.2212.9.940.WH	989	9	4000	>90	250	White
01.2212.9.940.BK	989	9	4000	>90	250	Black



MATERIAL | AL

» 318

INVISIBLE MINI R



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2200.7.930.WH	640	6,3	3000	>90	350	White
01.2200.7.930.BK	640	6,3	3000	>90	350	Black
01.2200.7.930.BR	640	6,3	3000	>90	350	Brass
01.2200.7.940.WH	640	6,3	4000	>90	350	White
01.2200.7.940.BK	640	6,3	4000	>90	350	Black
01.2200.7.940.BR	640	6,3	4000	>90	350	Brass



MATERIAL | AL

» 318



01.2200.7.930.WH



01.2200.7.930.BK




01.2200.7.930.BR



Ceiling recessed

TUB M TRIMLESS



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0597.11.930.WH	1210	11	3000	>90	300	White
01.0597.11.930.BK	1210	11	3000	>90	300	Black
01.0597.11.940.WH	1210	11	4000	>90	300	White
01.0597.11.940.BK	1210	11	4000	>90	300	Black

ACCESSORIES

	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30


» 313



MATERIAL | AL

» 318

TUB M TRIM



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0599.11.930.WH	1210	11	3000	>90	300	White
01.0599.11.930.BK	1210	11	3000	>90	300	Black
01.0599.11.940.WH	1210	11	4000	>90	300	White
01.0599.11.940.BK	1210	11	4000	>90	300	Black

ACCESSORIES

	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

» 313




MATERIAL | AL

» 318

Ceiling recessed



TUB M R



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0598.11.930.WH	1210	11	3000	>90	300	White
01.0598.11.930.BK	1210	11	3000	>90	300	Black
01.0598.11.940.WH	1210	11	4000	>90	300	White
01.0598.11.940.BK	1210	11	4000	>90	300	Black

ACCESSORIES

	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

[i » 313](#)




MATERIAL | AL

[i » 318](#)




Ceiling recessed

TUB M IN




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0590.9.930.WH	1210	9	3000	>90	250	White
01.0590.9.930.BK	1210	9	3000	>90	250	Black
01.0590.9.940.WH	1321	9	4000	>90	250	White
01.0590.9.940.BK	1321	9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318

TUB M INT



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0592.9.930.WH	1210	9	3000	>90	250	White
01.0592.9.930.BK	1210	9	3000	>90	250	Black
01.0592.9.940.WH	1321	9	4000	>90	250	White
01.0592.9.940.BK	1321	9	4000	>90	250	Black



MATERIAL | AL

[i](#) » 318

ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

[i](#) » 313



01.0592.9.930.WH+06.A05SH.BR



01.0592.9.930.BK + 06.A05SH.BR



01.0592.9.930.WH+06.A05SH.CP




01.0592.9.930.BK+06.A05SH.CP

Ceiling recessed



TUB S OUT




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0303.4.930.WH	340	4	3000	>90	350	White
01.0303.4.930.BK	340	4	3000	>90	350	Black
01.0303.4.930.BR/BK	340	4	3000	>90	350	Brass /Black



MATERIAL | AL

» 318



01.0303.4.930.WH




01.0303.4.930.BK




01.0303.4.930.BR/BK



TUB M OUT TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0594.9.930.WH	1210	12	3000	>90	300	White
01.0594.9.930.BK	1210	12	3000	>90	300	Black
NEW 01.0594.9.930.BR	1210	12	3000	>90	300	Brass
01.0594.9.940.WH	1210	12	4000	>90	300	White
01.0594.9.940.BK	1210	12	4000	>90	300	Black
NEW 01.0594.9.940.BR	1210	12	4000	>90	300	Brass



MATERIAL | AL

» 318

TUB M OUT




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0593.9.930.WH	1210	12	3000	>90	300	White
01.0593.9.930.BK	1210	12	3000	>90	300	Black
NEW 01.0593.9.930.BR	1210	12	3000	>90	300	Brass
01.0593.9.940.WH	1210	12	4000	>90	300	White
01.0593.9.940.BK	1210	12	4000	>90	300	Black
NEW 01.0593.9.940.BR	1210	12	4000	>90	300	Brass



MATERIAL | AL

» 318

TUB M OUT NB TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
01.0595.9.930.WH	750	9	3000	>90	220	White



MATERIAL | AL

» 318

TUB M OUT NB



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
01.0596.9.930.WH	750	9	3000	>90	220	White



MATERIAL | AL

» 318



01.0593.9.930.WH


01.0593.9.930.BK

01.0593.9.930.BR

SOL IN MINI




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.7526.7.930.WH	624	7	3000	>90	350	White
01.7526.7.930.BK	624	7	3000	>90	350	Black
01.7526.7.940.WH	624	7	4000	>90	350	White
01.7526.7.940.BK	624	7	4000	>90	350	Black



MATERIAL | AL

[i](#) » 318



ACCESSORIES

	Replaceable ring. White color	SOL M RING WHITE
	Replaceable ring. Black color	SOL M RING BLACK
	Replaceable ring. Copper color	SOL M RING COPPER
	Replaceable ring. Brass color	SOL M RING BRASS
	Replaceable ring. Chrome color	SOL M RING CHROME
	Replaceable ring. Diamond black color	SOL M RING DIAMOND BLACK

NEW

[i](#) » 313



01.7526.7.930.WH + SOL M RING BRASS



01.7526.7.930.WH + SOL M RING COPPER



01.7526.7.930.WH + SOL M RING CHROME



01.7526.7.930.WH + SOL M RING DIAMOND BLACK



01.7526.7.930.BK + SOL M RING BRASS



01.7526.7.930.BK + SOL M RING COPPER



01.7526.7.930.BK + SOL M RING CHROME



01.7526.7.930.BK + SOL M RING DIAMOND BLACK

SOL IN




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.9533.14.930.WH	1425	14	3000	>90	350	White
01.9533.14.930.BK	1425	14	3000	>90	350	Black
01.9533.14.940.WH	1425	14	4000	>90	350	White
01.9533.14.940.BK	1425	14	4000	>90	350	Black



MATERIAL | AL

[i](#) » 318



ACCESSORIES

	Replaceable ring. White color	SOL RING WHITE
	Replaceable ring. Black color	SOL RING BLACK
	Replaceable ring. Copper color	SOL RING COPPER
	Replaceable ring. Brass color	SOL RING BRASS
	Replaceable ring. Chrome color	SOL RING CHROME
	Replaceable ring. Diamond black color	SOL RING DIAMOND BLACK

NEW

[i](#) » 313

	Lens 12°	06.A09LS12
--	----------	------------



01.9533.14.930.WH + SOL RING BRASS



01.9533.14.930.WH + SOL RING COPPER



01.9533.14.930.WH + SOL RING CHROME



01.9533.14.930.WH + SOL RING DIAMOND BLACK



01.9533.14.930.BK + SOL RING BRASS



01.9533.14.930.BK + SOL RING COPPER




01.9533.14.930.BK + SOL RING CHROME




01.9533.14.930.BK + SOL RING DIAMOND BLACK


NANO COLLECTION



NANO COLLECTION



NANO TUB S TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3904.7.930.WH	491	4,5	3000	>90	500	White
01.3904.7.930.WHB	491	4,5	3000	>90	500	White/Black
01.3904.7.930.BK	491	4,5	3000	>90	500	Black
01.3904.7.930.BR	491	4,5	3000	>90	500	Brass
01.3904.7.930.CR	491	4,5	3000	>90	500	Chrome




MATERIAL | AL

» 318

NANO TUB S TRIM



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3905.7.930.WH	491	4,5	3000	>90	500	White
01.3905.7.930.WHB	491	4,5	3000	>90	500	White/Black
01.3905.7.930.BK	491	4,5	3000	>90	500	Black
01.3905.7.930.BR	491	4,5	3000	>90	500	Brass
01.3905.7.930.CR	491	4,5	3000	>90	500	Chrome



MATERIAL | AL

» 318



01.3904.7.930.WH

01.3904.7.930.WHB

01.3904.7.930.BK

01.3904.7.930.BR

01.3904.7.930.CR



01.3905.7.930.WH

01.3905.7.930.WHB

01.3905.7.930.BK


01.3905.7.930.BR

01.3905.7.930.CR



Ceiling recessed

NANO R TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3900.8.930.WH	640	8	3000	>90	700	White
01.3900.8.930.BK	640	8	3000	>90	700	Black
01.3900.8.930.BR	640	8	3000	>90	700	Brass
01.3900.8.930.CP	640	8	3000	>90	700	Copper
01.3900.8.940.WH	640	8	4000	>90	700	White
01.3900.8.940.BK	640	8	4000	>90	700	Black
01.3900.8.940.BR	640	8	4000	>90	700	Brass
01.3900.8.940.CP	640	8	4000	>90	700	Copper



MATERIAL | AL PC

[i](#) » 318

NANO R



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3910.8.930.WH	640	8	3000	>90	700	White
01.3910.8.930.BK	640	8	3000	>90	700	Black
01.3910.8.940.WH	640	8	4000	>90	700	White
01.3910.8.940.BK	640	8	4000	>90	700	Black



MATERIAL | AL

[i](#) » 318



ACCESSORIES


Shield Brass	01.A390.BR
Shield Copper	01.A390.CP
Shield Black	01.A390.BK
Shield White	01.A390.WH
Lens 12°	01.A39LS12
Lens 30°	01.A39LS30

[i](#) » 313

Ceiling recessed



NANO S TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3901.8.930.WH	640	8	3000	>90	700	White
01.3901.8.930.BK	640	8	3000	>90	700	Black
01.3901.8.930.BR	640	8	3000	>90	700	Brass
01.3901.8.930.CP	640	8	3000	>90	700	Copper
01.3901.8.940.WH	640	8	4000	>90	700	White
01.3901.8.940.BK	640	8	4000	>90	700	Black
01.3901.8.940.BR	640	8	4000	>90	700	Brass
01.3901.8.940.CP	640	8	4000	>90	700	Copper



MATERIAL | AL PC (i) » 318

NANO S



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3911.8.930.WH	640	8	3000	>90	700	White
01.3911.8.930.BK	640	8	3000	>90	700	Black
01.3911.8.940.WH	640	8	4000	>90	700	White
01.3911.8.940.BK	640	8	4000	>90	700	Black



MATERIAL | AL (i) » 318




ACCESSORIES

	Shield Brass	01.A391.BR
	Shield Copper	01.A391.CP
	Shield Black	01.A391.BK
	Shield White	01.A391.WH
	Lens 12°	01.A39LS12
	Lens 30°	01.A39LS30

(i) » 313



NANO R WW TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3902.6.930.WH	503	6	3000	>90	500	White
01.3902.6.930.BK	503	6	3000	>90	500	Black



MATERIAL | AL PC

» 318

NANO R WW





Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3912.6.930.WH	503	6	3000	>90	500	White
01.3912.6.930.BK	503	6	3000	>90	500	Black



MATERIAL | AL

» 318

NANO S WW TRIMLESS





Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3903.6.930.WH	503	6	3000	>90	500	White
01.3903.6.930.BK	503	6	3000	>90	500	Black



MATERIAL | AL PC

» 318

NANO S WW



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3913.6.930.WH	503	6	3000	>90	500	White
01.3913.6.930.BK	503	6	3000	>90	500	Black



MATERIAL | AL

» 318

SERIES VARIO

Ceiling recessed

VARIO LINEA




VARIO COMFORT



VARIO WALL WASHER



VARIO LINEA 151 TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.1510.4.930.WH + VARIO FRAME2	585	4,2	3000	>90	350	White
01.1510.4.930.BK + VARIO FRAME2	585	4,2	3000	>90	350	Black
01.1510.4.940.WH + VARIO FRAME2	585	4,2	4000	>90	350	White
01.1510.4.940.BK + VARIO FRAME2	585	4,2	4000	>90	350	Black




MATERIAL | AL PC

i » 318



VARIO LINEA 218 TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2180.6.930.WH + VARIO FRAME3	754	6,3	3000	>90	350	White
01.2180.6.930.BK + VARIO FRAME3	754	6,3	3000	>90	350	Black
01.2180.6.940.WH + VARIO FRAME3	754	6,3	4000	>90	350	White
01.2180.6.940.BK + VARIO FRAME3	754	6,3	4000	>90	350	Black





MATERIAL | AL PC

i » 318



VARIO LINEA 151




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.1510.4.930.WH	585	4,2	3000	>90	350	White
01.1510.4.930.BK	585	4,2	3000	>90	350	Black
01.1510.4.940.WH	585	4,2	4000	>90	350	White
01.1510.4.940.BK	585	4,2	4000	>90	350	Black





MATERIAL | AL PC

» 318



VARIO LINEA 218




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2180.6.930.WH	754	6,3	3000	>90	350	White
01.2180.6.930.BK	754	6,3	3000	>90	350	Black
01.2180.6.940.WH	754	6,3	4000	>90	350	White
01.2180.6.940.BK	754	6,3	4000	>90	350	Black



MATERIAL | AL PC


» 318




VARIO COMFORT 85 TRIMLESS



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0851.4.930.BK + VARIO FRAME1	336	4,5	3000	>90	500	Black
01.0851.4.940.BK + VARIO FRAME1	336	4,5	4000	>90	500	Black




LED CE ENE III F IP20 INCL 83 x 32 70 36° MATERIAL | AL PC (i) » 318




VARIO COMFORT 85



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.0851.4.930.BK	336	4,5	3000	>90	500	Black
01.0851.4.940.BK	336	4,5	4000	>90	500	Black




LED CE ENE III F IP20 INCL 79 x 32 70 36° MATERIAL | AL PC (i) » 318




VARIO COMFORT 151 TRIMLESS



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.1511.9.930.BK + VARIO FRAME2	672	9	3000	>90	500	Black
01.1511.9.940.BK + VARIO FRAME2	672	9	4000	>90	500	Black




LED CE ENE III F IP20 INCL 151 x 32 70 36° MATERIAL | AL PC (i) » 318




VARIO COMFORT 151



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.1511.9.930.BK	672	9	3000	>90	500	Black
01.1511.9.940.BK	672	9	4000	>90	500	Black




LED CE ENE III F IP20 INCL 147 x 32 70 36° MATERIAL | AL PC (i) » 318




VARIO COMFORT 218 TRIMLESS



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2181.14.930.BK + VARIO FRAME3	1005	14	3000	>90	500	Black
01.2181.14.940.BK + VARIO FRAME3	1040	14	4000	>90	500	Black




LED CE ENE III F IP20 INCL 223 x 32 70 36° MATERIAL | AL PC (i) » 318




VARIO COMFORT 218




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2181.14.930.BK	1005	14	3000	>90	500	Black
01.2181.14.940.BK	1040	14	4000	>90	500	Black



LED CE ENE III F IP20 INCL 214 x 32 70 36° MATERIAL | AL PC (i) » 318



VARIO WALL WASHER 218 TRIMLESS




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2185.10.930.BK + VARIO FRAME3	720	10	3000	>90	350	Black
01.2185.10.940.BK + VARIO FRAME3	720	10	4000	>90	350	Black
01.2185.14.930.BK + VARIO FRAME3	1010	14	3000	>90	500	Black
01.2185.14.940.BK + VARIO FRAME3	1010	14	4000	>90	500	Black


LED CE ENEC IP20 INCL 223 x 32 70 48 x 25°

MATERIAL | AL PC

i » 318



VARIO WALL WASHER 218




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.2185.10.930.BK	720	10	3000	>90	350	Black
01.2185.10.940.BK	720	10	4000	>90	350	Black
01.2185.14.930.BK	1010	14	3000	>90	500	Black
01.2185.14.940.BK	1010	14	4000	>90	500	Black


LED CE ENEC IP20 INCL 214 x 32 70 48 x 25°

MATERIAL | AL PC

i » 318




IN WALL RING



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
01.3853.R1.830.ST	20	1	3000	>80	24	Stainless steel

DRIVER MUST BE PLACED ON REMOTE



MATERIAL | INOX PC


» 318

IN WALL O




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
01.3805.EL.930.WH	364	3,3	3000	>90	700	White
01.3805.EL.930.BK	364	3,3	3000	>90	700	Black

DRIVER MUST BE PLACED ON REMOTE




MATERIAL | AL

» 318




01.3805.EL.930.WH



01.3805.EL.930.BK



BUTTON RS




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.0150.8.930.CG	720	8	3000	>90	220	Champagne gold



MATERIAL | AL PC

[i](#) » 318

BUTTON RM




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.0220.14.930.CG	960	14	3000	>90	220	Champagne gold




MATERIAL | AL PC

[i](#) » 318



Wall recessed

BUTTON SM



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.0200.15.930.BK	720	14,4	3000	>90	220	Black




MATERIAL |  AL  PC

 » 318

Wall recessed



STRAIGHT



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.7015.1.930.WH	1800	18	3000	>90	48	White
02.7015.1.930.BK	1800	18	3000	>90	48	Black


i DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL PC

i » 318

STRAIGHT



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.7015.2.930.WH	3600	36	3000	>90	48	White
02.7015.2.930.BK	3600	36	3000	>90	48	Black

i DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL PC

i » 318



Wall surface



Wall surface


ROD

ROD series surface mounted luminaires.
You can create your own unique experiences
by using different sizes of ROD series of lights.

ROD



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1000.10.930.BK	630	10,5	3000	>90	220	Black




MATERIAL | AL PC

[i](#) » 318

ROD



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1500.17.930.BK	1080	18	3000	>90	220	Black




MATERIAL | AL PC

[i](#) » 318

ROD



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1990.23.930.BK	1500	25	3000	>90	220	Black




MATERIAL | AL PC

[i](#) » 318

ROD




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.2483.30.930.BK	1800	30	3000	>90	220	Black





MATERIAL | AL PC

[i](#) » 318

SLIMLINE



SLIMLINE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1807.5.930.BR	400	5	3000	>90	48	Brass


i DRIVER MUST BE PLACED ON REMOTE



MATERIAL | BR PC

i » 318

SLIMLINE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1810.8.930.BR	640	8	3000	>90	48	Brass


i DRIVER MUST BE PLACED ON REMOTE




MATERIAL | BR PC

i » 318

ACCESSORIES




Surface mounted bracket, 2 pcs
10.A1804.BR



Surface mounted bracket, 2 pcs
10.A1816.BR



SLIMLINE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1812.10.930.BR	800	10	3000	>90	48	Brass


i DRIVER MUST BE PLACED ON REMOTE



MATERIAL | BR PC

i » 318

SLIMLINE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1818.15.930.BR	1200	15	3000	>90	48	Brass



i DRIVER MUST BE PLACED ON REMOTE



MATERIAL | BR PC


i » 318

ACCESSORIES





SFERA WALL S

NEW



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.0613.4.930.BK	243	4	3000	>90	220	Black
10.0613.4.930.BR	243	4	3000	>90	220	Brass



MATERIAL | AL GL

» 318




10.0613.4.930.BK




10.0613.4.930.BR



SFERA WALL M



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.0634.5.930.BK	243 + 119	3,6 + 1,5	3000	>90	220	Black
10.0634.5.930.BR	243 + 119	3,6 + 1,5	3000	>90	220	Brass




MATERIAL | AL GL

» 318




10.0634.5.930.BK




10.0634.5.930.BR



TOUCH TO DIMM



TUB M S 110



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0511.9.930.WH	540	9	3000	>90	250	White
02.0511.9.930.BK	540	9	3000	>90	250	Black
02.0511.9.930.BR	540	9	3000	>90	250	Brass
NEW 02.0511.9.930.DB	540	9	3000	>90	250	Diamond black
02.0511.9.940.WH	540	9	4000	>90	250	White
02.0511.9.940.BK	540	9	4000	>90	250	Black
02.0511.9.940.BR	540	9	4000	>90	250	Brass
NEW 02.0511.9.940.DB	540	9	4000	>90	250	Diamond black




MATERIAL | AL

[i](#) » 318

ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

[i](#) » 313



02.0511.9.930.WH



02.0511.9.930.BK




02.0511.9.930.BR



02.0511.9.930.DB



TUB M SA 90



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0591.9.930.WH	540	9	3000	>90	250	White
02.0591.9.930.BK	540	9	3000	>90	250	Black
02.0591.9.930.BR	540	9	3000	>90	250	Brass
NEW 02.0591.9.930.DB	540	9	3000	>90	250	Diamond black
02.0591.9.940.WH	540	9	4000	>90	250	White
02.0591.9.940.BK	540	9	4000	>90	250	Black
02.0591.9.940.BR	540	9	4000	>90	250	Brass
NEW 02.0591.9.940.DB	540	9	4000	>90	250	Diamond black



MATERIAL | AL

» 318

ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

» 313



02.0591.9.930.WH



02.0591.9.930.BK




02.0591.9.930.BR



02.0591.9.930.DB



TUB M SA NB



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.0595.9.930.WH	750	9	3000	>90	220	White
02.0595.9.930.BK	750	9	3000	>90	220	Black



MATERIAL | AL

» 318

ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT


» 313




02.0595.9.930.WH + 06.A05SH.BR




02.0595.9.930.WH + 06.A05SH.CP




02.0595.9.930.BK + 06.A05SH.BR



02.0595.9.930.BK + 06.A05SH.CP



TUB M SA 140



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0514.13.930.WH	758	13	3000	>90	350	White
02.0514.13.930.BK	758	13	3000	>90	350	Black
02.0514.13.940.WH	903	13	4000	>90	350	White
02.0514.13.940.BK	903	13	4000	>90	350	Black



MATERIAL | AL

[i](#) » 318

ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30


[i](#) » 313




02.0514.13.930.WH + 06.A05SH.BR



02.0514.13.930.WH + 06.A05SH.CP




02.0514.13.930.BK + 06.A05SH.BR



02.0514.13.930.BK + 06.A05SH.CP

TUB L S 150




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0711.18.930.WH	1287	18	3000	>90	500	White
02.0711.18.930.BK	1287	18	3000	>90	500	Black
02.0711.18.940.WH	1287	18	4000	>90	500	White
02.0711.18.940.BK	1287	18	4000	>90	500	Black



MATERIAL | AL

[i](#) » 318

TUB L SA 150



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0715.13.940.WH	1023	13	4000	>90	350	White
02.0715.13.940.BK	1023	13	4000	>90	350	Black



MATERIAL | AL

[i](#) » 318

ACCESSORIES

	Honeycomb	06.A07HC
--	-----------	----------

[i](#) » 313




02.0711.18.930.WH



02.0711.18.930.BK

ROLL



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0800.10.930.WH	924	9	3000	>90	250	White
02.0800.10.930.BK	924	9	3000	>90	250	Black
02.0800.10.940.WH	989	9	4000	>90	250	White
02.0800.10.940.BK	989	9	4000	>90	250	Black



MATERIAL | AL

» 318




02.0800.10.930.WH



02.0800.10.930.BK



BLOCK




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.8010.10.930.WH	820	10	3000	>90	250	White
02.8010.10.930.BK	820	10	3000	>90	250	Black



MATERIAL | AL

» 318

BLOCK 2



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.8020.20.930.WH	2 x 820	2 x 10	3000	>90	250	White
02.8020.20.930.BK	2 x 820	2 x 10	3000	>90	250	Black



MATERIAL | AL

» 318



02.8020.20.930.BK




02.8020.20.930.BK/WH



02.8020.20.930.WH/BK

BOX




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.8030.10.830.WH	903	10	3000	>80	500	White
02.8030.10.830.BK	903	10	3000	>80	500	Black



MATERIAL | AL

» 318

BOX 2



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.8040.20.830.WH	2 x 903	2 x 10	3000	>80	500	White
02.8040.20.830.BK	2 x 903	2 x 10	3000	>80	500	Black



MATERIAL | AL

» 318



02.8040.20.830.BK




02.8040.20.830.BK/WH



02.8040.20.830.WH/BK

SOL SURF MINI



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.7526.7.930.WH	624	7	3000	>90	350	White
02.7526.7.930.BK	624	7	3000	>90	350	Black
02.7526.7.940.WH	624	7	4000	>90	350	White
02.7526.7.940.BK	624	7	4000	>90	350	Black



MATERIAL | AL


» 318

ACCESSORIES

	Replaceable ring. White color	SOL M RING WHITE
	Replaceable ring. Black color	SOL M RING BLACK
	Replaceable ring. Copper color	SOL M RING COPPER
	Replaceable ring. Brass color	SOL M RING BRASS
	Replaceable ring. Chrome color	SOL M RING CHROME
	NEW Replaceable ring. Diamond black color	SOL M RING DIAMOND BLACK

» 313

SOL SURF



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.9533.14.930.WH	1446	14	3000	>90	350	White
02.9533.14.930.BK	1446	14	3000	>90	350	Black
02.9533.14.940.WH	1446	14	4000	>90	350	White
02.9533.14.940.BK	1446	14	4000	>90	350	Black



MATERIAL | AL

» 318


ACCESSORIES

	Replaceable ring. White color	SOL RING WHITE
	Replaceable ring. Black color	SOL RING BLACK
	Replaceable ring. Copper color	SOL RING COPPER
	Replaceable ring. Brass color	SOL RING BRASS
	Replaceable ring. Chrome color	SOL RING CHROME
	NEW Replaceable ring. Diamond black color	SOL RING DIAMOND BLACK
	Lens 12°	06.A09LS12

» 313



TURBINE




Ø190

Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.0190.15.930.WH	1800	15	3000	>90	500	White
02.0190.15.930.BK	1800	15	3000	>90	500	Black
02.0190.15.940.WH	1800	15	4000	>90	500	White
02.0190.15.940.BK	1800	15	4000	>90	500	Black



MATERIAL | AL

» 318




02.0190.15.930.WH



02.0190.15.930.BK

DISK S





Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.2600.25.930.WH	2625	25	3000	>90	700	White
02.2600.25.930.BK	2625	25	3000	>90	700	Black
02.2600.25.940.WH	2625	25	4000	>90	700	White
02.2600.25.940.BK	2625	25	4000	>90	700	Black



MATERIAL | AL PC

[i](#) » 318

DISK M



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
02.3500.32.930.WH	3360	32	3000	>90	700	White
02.3500.32.930.BK	3360	32	3000	>90	700	Black
02.3500.32.940.WH	3360	32	4000	>90	700	White
02.3500.32.940.BK	3360	32	4000	>90	700	Black



MATERIAL | AL PC

[i](#) » 318




02.2600.25.930.BK



02.3500.32.930.BK



BRIGHT S



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.2239.15.930/940.WH	945	15	3000/4000	>90	220	White
	630	10				
	560	8				



MATERIAL | AL PC

» 318

BRIGHT M




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.3039.24.930/940.WH	1610	24	3000/4000	>90	220	White
	1260	18				
	700	10				



MATERIAL | AL PC

» 318

FLAT S1




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.2121.15.930/940.WH	1210	15	3000/4000	>90	220	White
	770	10				



MATERIAL | PC PC

» 318

FLAT S2




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.2626.24.930/940.WH	1960	24	3000/4000	>90	220	White
	1470	18				
	805	10				



MATERIAL | PC PC

» 318

FLAT S3




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.4040.32.930/940.WH	2660	38	3000/4000	>90	220	White
	2030	29				



MATERIAL | PC PC

» 318

FLAT R1




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.2255.15.930/940.WH	1190 770	15 10	3000/4000	>90	220	White



MATERIAL | PC PC

» 318

FLAT R2




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.2749.24.930/940.WH	1960 1470 805	24 18 10	3000/4000	>90	220	White



MATERIAL | PC PC

» 318

FLAT R3




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.4065.32.930/940.WH	2880 1960	32 24	3000/4000	>90	220	White



MATERIAL | PC PC

» 318

FLAT R1 SMART



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.2255.15.930/940.WH.S	1120 770	15 10	3000/4000	>90	220	White




MATERIAL | PC PC

» 318

WITH MOTION DETECTOR

FLAT R2 SMART



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.2749.24.930/940.WH.S	1960 1470 805	24 18 10	3000/4000	>90	220	White



MATERIAL | PC PC

» 318

WITH MOTION DETECTOR

Ceiling suspended

Ceiling suspended


SUSPENDED TUB SERIES

The TUB suspended series is a collection of pendant lights, which allows the creation of different combination diameter and length in order to create a unique composition of pendant lights. The TUB has a cylindrical shape and is available in a variety of sizes and finishes to suit different design preferences.

TUB XS P



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0160.2.930.WH	137	2,4	3000	>90	700	White
03.0160.2.930.BK	137	2,4	3000	>90	700	Black
03.0160.2.930.BR	137	2,4	3000	>90	700	Brass



MATERIAL | AL

» 318

TUB XS P NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0161.2.930.WH	137	2,4	3000	>90	700	White
03.0161.2.930.BK	137	2,4	3000	>90	700	Black
03.0161.2.930.BR	137	2,4	3000	>90	700	Brass




MATERIAL | AL

» 318

TUB XS P NANO




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0162.2.930.WH	137	2,4	3000	>90	700	White
03.0162.2.930.BK	137	2,4	3000	>90	700	Black
03.0162.2.930.BR	137	2,4	3000	>90	700	Brass



MATERIAL | AL

» 318




Surface base

White

Black

Brass



Trimless base

Frame base

White


Black

Brass

MATCH S P 450



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0340.7.930.BR	415	7	3000	>90	700	Brass
03.0340.7.940.BR	415	7	4000	>90	700	Brass




MATERIAL | BR PC

» 318

MATCH S P 450 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0341.7.930.BR	415	7	3000	>90	700	Brass
03.0341.7.940.BR	415	7	4000	>90	700	Brass




MATERIAL | BR PC

» 318

MATCH S P 450 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0342.7.930.BR	415	7	3000	>90	700	Brass
03.0342.7.940.BR	415	7	4000	>90	700	Brass




MATERIAL | BR PC

» 318

MATCH S P 550



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0350.7.930.BR	415	7	3000	>90	700	Brass
03.0350.7.940.BR	415	7	4000	>90	700	Brass




MATERIAL | BR PC

» 318

MATCH S P 550 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0351.7.930.BR	415	7	3000	>90	700	Brass
03.0351.7.940.BR	415	7	4000	>90	700	Brass




MATERIAL | BR PC

» 318

MATCH S P 550 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0352.7.930.BR	415	7	3000	>90	700	Brass
03.0352.7.940.BR	415	7	4000	>90	700	Brass




MATERIAL | BR PC

» 318

TUB S P 200



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0320.8.930.WH	558	8	3000	>90	700	White
03.0320.8.930.BK	558	8	3000	>90	700	Black
03.0320.8.930.BR	558	8	3000	>90	700	Brass
NEW 03.0320.8.930.DB	558	8	3000	>90	700	Diamond black




MATERIAL | AL

i » 318

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313




Surface base


Trimless base

Frame base

TUB S P 200 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0321.8.930.WH	558	8	3000	>90	700	White
03.0321.8.930.BK	558	8	3000	>90	700	Black
03.0321.8.930.BR	558	8	3000	>90	700	Brass
NEW 03.0321.8.930.DB	558	8	3000	>90	700	Diamond black



MATERIAL | AL

i » 318

ACCESSORIES


	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313

TUB S P 200 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0322.8.930.WH	558	8	3000	>90	700	White
03.0322.8.930.BK	558	8	3000	>90	700	Black
03.0322.8.930.BR	558	8	3000	>90	700	Brass
NEW 03.0322.8.930.DB	558	8	3000	>90	700	Diamond black




MATERIAL | AL

i » 318

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313





White

Black

Brass

Diamond black

TUB S P 300



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0330.8.930.WH	389	8	3000	>90	700	White
03.0330.8.930.BK	389	8	3000	>90	700	Black
NEW 03.0330.8.930.BR	389	8	3000	>90	700	Brass
03.0330.8.940.WH	474	8	4000	>90	700	White
03.0330.8.940.BK	474	8	4000	>90	700	Black
NEW 03.0330.8.940.BR	474	8	4000	>90	700	Brass




MATERIAL | AL

» 318

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

» 313





Surface base

White

Black

Brass

TUB S P 300 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0331.8.930.WH	389	8	3000	>90	700	White
03.0331.8.930.BK	389	8	3000	>90	700	Black
NEW 03.0331.8.930.BR	389	8	3000	>90	700	Brass
03.0331.8.940.WH	474	8	4000	>90	700	White
03.0331.8.940.BK	474	8	4000	>90	700	Black
NEW 03.0331.8.940.BR	474	8	4000	>90	700	Brass



MATERIAL | AL


» 318

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

» 313

TUB S P 300 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0332.8.930.WH	389	8	3000	>90	700	White
03.0332.8.930.BK	389	8	3000	>90	700	Black
NEW 03.0332.8.930.BR	389	8	3000	>90	700	Brass
03.0332.8.940.WH	474	8	4000	>90	700	White
03.0332.8.940.BK	474	8	4000	>90	700	Black
NEW 03.0332.8.940.BR	474	8	4000	>90	700	Brass




MATERIAL | AL

» 318

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

» 313



Trimless base

Frame base

White


Black

Brass

TUB S P 600



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0360.8.930.WH	657	8	3000	>90	700	White
03.0360.8.930.BK	657	8	3000	>90	700	Black
03.0360.8.930.BR	657	8	3000	>90	700	Brass



MATERIAL | AL


i » 318

ACCESSORIES


	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313

TUB S P 600 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0361.8.930.WH	657	8	3000	>90	700	White
03.0361.8.930.BK	657	8	3000	>90	700	Black
03.0361.8.930.BR	657	8	3000	>90	700	Brass



MATERIAL | AL

i » 318

ACCESSORIES


	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313

TUB S P 600 NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0362.8.930.WH	657	8	3000	>90	700	White
03.0362.8.930.BK	657	8	3000	>90	700	Black
03.0362.8.930.BR	657	8	3000	>90	700	Brass



MATERIAL | AL

i » 318

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

i » 313




Surface base

White

Black

Brass



Trimless base

Frame base

White


Black

Brass

TUB S P 300 ZOOM



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0309.6.930.WH	228 - 307	5,4	3000	>90	700	White
03.0309.6.930.BK	228 - 307	5,4	3000	>90	700	Black
03.0309.6.940.WH	240 - 322	5,4	4000	>90	700	White
03.0309.6.940.BK	240 - 322	5,4	4000	>90	700	Black




MATERIAL | AL

» 318

TUB S P 300 ZOOM NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0319.6.930.WH	228 - 307	5,4	3000	>90	700	White
03.0319.6.930.BK	228 - 307	5,4	3000	>90	700	Black
03.0319.6.940.WH	240 - 322	5,4	4000	>90	700	White
03.0319.6.940.BK	240 - 322	5,4	4000	>90	700	Black




MATERIAL | AL

» 318

TUB S P 300 ZOOM NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0329.6.930.WH	228 - 307	5,4	3000	>90	700	White
03.0329.6.930.BK	228 - 307	5,4	3000	>90	700	Black
03.0329.6.940.WH	240 - 322	5,4	4000	>90	700	White
03.0329.6.940.BK	240 - 322	5,4	4000	>90	700	Black



MATERIAL | AL

» 318



Surface base

White

Black




Trimless base

Frame base

White

Black

TUB M P 200



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0521.19.930.WH	1210	10,8	3000	>90	500	White
03.0521.19.930.BK	1210	10,8	3000	>90	500	Black
03.0521.19.940.WH	1320	10,8	4000	>90	500	White
03.0521.19.940.BK	1320	10,8	4000	>90	500	Black




MATERIAL | AL

» 318


ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

» 313




03.0521.19.930.WH



03.0521.19.930.BK



TUB M P 200 DTW



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0521.12.DTW.WH	1150	12	DIM to warm 1800-3000	>95	350	White
03.0521.12.DTW.BK	1150	12	DIM to warm 1800-3000	>95	350	Black

i NECESSARY USE PHASE CUT DIMMER



MATERIAL | **AL**

i » 318


ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30


i » 313




03.0521.12.DTW.WH + 06.A05SHL.BR



03.0521.12.DTW.WH + 06.A05SHL.CP



03.0521.12.DTW.BK + 06.A05SHL.BR



03.0521.12.DTW.BK + 06.A05SHL.CP

3000K
100%



2700K
50%




1800K
5%



Dim to warm it is a new technology for regulation of light intensity and color temperature synchronously. Necessary use phase cut dimmer.

Ceiling suspended

TUB M P 200 ZOOM



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.0529.13.930.WH	615 - 1040	13	3000	>90	700	White
03.0529.13.930.BK	615 - 1040	13	3000	>90	700	Black
03.0529.13.940.WH	615 - 1040	13	4000	>90	700	White
03.0529.13.940.BK	615 - 1040	13	4000	>90	700	Black



MATERIAL | AL

[i](#) » 318

Ceiling suspended



Surface base


03.0529.13.930.WH

03.0529.13.930.BK

BALL M P




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.1000.7.930.WH	590	7	3000	>90	700	White
03.1000.7.930.BK	590	7	3000	>90	700	Black




MATERIAL | AL GL

» 318

BALL M P NANO




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.1001.7.930.WH	590	7	3000	>90	700	White
03.1001.7.930.BK	590	7	3000	>90	700	Black




MATERIAL | AL GL

» 318

BALL M P NANO



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
03.1002.7.930.WH	590	7	3000	>90	700	White
03.1002.7.930.BK	590	7	3000	>90	700	Black



MATERIAL | AL GL

» 318



Surface base

White

Black




Trimless base

Frame base

White


Black

BALL L




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.1800.28.930.WH	2028	28	3000	>90	220	White
02.1800.28.930.BK	2028	28	3000	>90	220	Black

MATERIAL | » 318




BALL L DTW



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
02.1800.28.DTW.BK	2028	28	DIM to warm 1800-3000	>90	220	Black

MATERIAL | » 318




02.1800.28.930.WH



02.1800.28.930.BK



SLIMLINE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1870.5.930.BR	400	5	3000	>90	48	Brass


ⓘ DRIVER MUST BE PLACED ON REMOTE



MATERIAL | BR PC

ⓘ » 318

SLIMLINE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
10.1811.8.930.BR	640	8	3000	>90	48	Brass

ⓘ DRIVER MUST BE PLACED ON REMOTE



MATERIAL | BR PC

ⓘ » 318




Rotation luminary body



POINTER SUSP BASE



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
10.1301.6.930.BK/CG	4x137	4x5,4	3000	>90	700	Black/ Champagne gold



LED CE ENE ↓ III F IP20 INCL 20° MATERIAL | AL ⓘ » 318

POINTER SUSP




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
10.1300.6.930.BK/CG	4x137	4x5,4	3000	>90	700	Black/ Champagne gold

ⓘ DRIVER MUST BE PLACED ON REMOTE

ACCESSORIES


Ø68 Ø35	Trimless white	01.A39TRLS.P.WH
Ø39	Trimless black	01.A39TRLS.P.BK
Ø48 Ø70	Frame white	01.A39FRM.P.WH
Ø42	Frame black	01.A39FRM.P.BK



LED CE ENE ↓ III F IP20 EXCL 20° MATERIAL | AL ⓘ » 318



10.1301.6.930.BK/CG



01.A39TRLS.P.WH



01.A39FRM.S.P.WH




OFFICE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
03.1610.12.930.BK	415	12	3000	>90	48	Black
03.1610.12.940.BK	415	12	4000	>90	48	Black


i DRIVER MUST BE PLACED ON REMOTE



MATERIAL | **AL** **PC**


i » 318

OFFICE



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
03.1620.24.930.BK	972	24	3000	>90	48	Black
03.1620.24.940.BK	972	24	4000	>90	48	Black


i DRIVER MUST BE PLACED ON REMOTE



MATERIAL | **AL** **PC**

i » 318

PROFILE




Code	Product Lumen	Power Watt	Color T (K)	L mm	CRI	Color
05.3527.20.830/840.WH/BK	1660	20	3000 / 4000	850	>80	White / Black
05.3527.26.830/840.WH/BK	2160	26	3000 / 4000	1130	>80	White / Black
05.3527.33.830/840.WH/BK	2700	33	3000 / 4000	1410	>80	White / Black
05.3527.39.830/840.WH/BK	3240	39	3000 / 4000	1690	>80	White / Black
05.3527.52.830/840.WH/BK	4320	52	3000 / 4000	2250	>80	White / Black




MATERIAL | AL PC

» 318




Microprisma trasparente




05.3527.20.830.WH




05.3527.20.830.BK



POINTER FLOOR




Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
10.1800.6.930.BK/CG	137	6	3000	>90	180	Black/ Champagne gold






MATERIAL | AL

[i](#) » 318




2-10 cm

MINI_LINE 42 TRACK



MINI_LINE 42 TRACK S




	Code	Dimensions (mm): LxWxH	Color
Surface track	07.S300.WH	3000 x 19 x 13,5	White
(End caps 2pcs included)	07.S300.BK	3000 x 19 x 13,5	Black

CE ENEC IP20 42V EXCL

MATERIAL | AL

» 318

MINI_LINE 42 TRACK S




	Code	Dimensions (mm): LxWxH	Color
Surface track	07.S200.LG	2000 x 19 x 13,5	Like gold
(End caps 2pcs included)	07.S200.LB	2000 x 19 x 13,5	Like brass

CE ENEC IP20 42V EXCL

MATERIAL | AL

» 318

MINI_LINE 42 CORNER S HR





	Code	Color
Surface «L» track connector	07.S90HR.WH	White
	07.S90HR.BK	Black
	07.S90HR.LG	Like gold
	07.S90HR.LB	Like brass

CE ENEC IP20 42V

MATERIAL | AL

» 318

MINI_LINE 42 CORNER S IN




	Code	Color
Surface «L» connector Ceiling to Wall in-installation	07.S90IN.WH	White
	07.S90IN.BK	Black

CE ENEC IP20 42V

MATERIAL | AL

» 318

MINI_LINE 42 CORNER S OUT



	Code	Color
Surface «L» track connector Wall to Wall out-installation	07.S90OUT.WH	White
	07.S90OUT.BK	Black

CE ENEC IP20 42V

MATERIAL | AL

» 318

MINI_LINE 42 MEC JOINT



	Code	Color
Mechanical linear connector for track	07.R/SLNCON.WH	White
	07.R/SLNCON.BK	Black

CE ENEC IP20

MATERIAL | AL

» 318

MINI_LINE 42 END CAP S




	Code	Color
End cap for surface track 2 pcs/set	07.R/SECAP.WH	White
	07.R/SECAP.BK	Black
	07.SECAP.LG	Like gold
	07.SECAP.LB	Like brass

CE ENEC IP20

MATERIAL | PC

» 318

MINI_LINE 42 COVER R/S




	Code	Dimensions (mm): LxWxH	Color
Track cover for surface	07.R/SCOV100.WH	1000 x 15,4 x 8	White
	07.R/SCOV100.BK	1000 x 15,4 x 8	Black

CE ENEC IP20

MATERIAL | PC

» 318

MINI_LINE 42 ELECTRICAL JOINT FLEX



Electrical joint flex
connector for tack


Code	Color
07.S2LE.WH	White
07.S2LE.BK	Black

CE ENEC IP20 42V

MATERIAL | AL

» 318

MINI_LINE 42 LIVE END 500



Feed cable, L 300mm


Code	Color
07.SLE50.WH	White
07.SLE50.BK	Black

CE ENEC IP20 42V


MATERIAL | AL

» 318

INSTALLATION SURFACE TRACK SYSTEM MINI_LINE 42




! Every 10 meters of track must be connected to a separate power supply adapter.
Maximum permissible current for one electrical circuit - 5.7A (240W)



MINI_LINE 42 LINEA 300




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.3000.6.930.WH	395	6	3000	>90	White
07.3000.6.930.BK	395	6	3000	>90	Black
07.3000.6.940.WH	395	6	4000	>90	White
07.3000.6.940.BK	395	6	4000	>90	Black




MATERIAL | AL PC

[i](#) » 318

MINI_LINE 42 LINEA 900



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.9000.18.930.WH	1185	18	3000	>90	White
07.9000.18.930.BK	1185	18	3000	>90	Black




MATERIAL | AL PC

[i](#) » 318

MINI_LINE 42 LINEA 600



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.6000.12.930.WH	790	12	3000	>90	White
07.6000.12.930.BK	790	12	3000	>90	Black




MATERIAL | AL PC

[i](#) » 318

MINI_LINE 42 LINEA 1200



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.1200.24.930.WH	1580	24	3000	>90	White
07.1200.24.930.BK	1580	24	3000	>90	Black



MATERIAL | AL PC


[i](#) » 318




07.3000.6.930.WH

07.3000.6.930.BK

MINI_LINE 42 COMFORT 300




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.3001.4.930.WH	390	4	3000	>90	White
07.3001.4.930.BK	390	4	3000	>90	Black
07.3001.4.940.WH	390	4	4000	>90	White
07.3001.4.940.BK	390	4	4000	>90	Black




MATERIAL | AL PC

[i](#) » 318

MINI_LINE 42 COMFORT 600



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.6001.8.930.WH	780	8	3000	>90	White
07.6001.8.930. BK	780	8	3000	>90	Black



MATERIAL | AL PC

[i](#) » 318



07.3001.4.930.WH


07.3001.4.930.BK



MINI_LINE 42 TUB XS A




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.2848.4.930.WH	426	3,5	3000	>90	White
07.2848.4.930.BK	426	3,5	3000	>90	Black




MATERIAL | AL PC

i » 318

MINI_LINE 42 TUB XS A X2



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.2848.7.930.WH	2 x 426	2 x 3,5	3000	>90	White
07.2848.7.930.BK	2 x 426	2 x 3,5	3000	>90	Black



MATERIAL | AL PC

i » 318



07.2848.7.930.WH




07.2848.7.930.BK

MINI_LINE 42 TUB S A




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.3270.5.930.WH	642	5	3000	>90	White
07.3270.5.930.BK	642	5	3000	>90	Black
07.3270.5.930.BR	642	5	3000	>90	Brass
07.3270.5.930.CR	642	5	3000	>90	Chrome
07.3270.5.940.WH	642	5	4000	>90	White
07.3270.5.940.BK	642	5	4000	>90	Black




MATERIAL | AL PC

i » 318

MINI_LINE 42 TUB S A X2



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
07.3270.10.930.WH	2 x 642	2 x 5	3000	>90	White
07.3270.10.930.BK	2 x 642	2 x 5	3000	>90	Black
07.3270.10.940.WH	2 x 642	2 x 5	4000	>90	White
07.3270.10.940.BK	2 x 642	2 x 5	4000	>90	Black



MATERIAL | AL PC

i » 318



07.3270.5.930.WH



07.3270.5.930.BK



07.3270.5.930.BR




07.3270.5.930.CR



IN_LINE



IN_LINE TRACK T





CE ENEC IP20 48V

MATERIAL | AL

» 318

	Code	Dimensions (mm): LxWxH	Color
Recessed track	06.T200.BK	2000 x 40 x 54	Black
with trim	06.T300.BK	3000 x 40 x 54	Black

IN_LINE CORNER T HR




CE ENEC IP20 48V

MATERIAL | AL

» 318

	Code	Color
Recessed «L» track connector with trim (2 pcs 06.TLNCON included)	06.T90HR.BK	Black

IN_LINE END CAP T



CE ENEC IP20



MATERIAL | AL

» 318

	Code	Color
End cap for recessed track T 2 pcs/set	06.TECAP.BK	Black



IN_LINE TRACK R





CE ENEC IP20 48V EXCL

MATERIAL | AL

	Code	Dimensions (mm): LxWxH	Color
Recessed track	06.R200.WH	2000 x 76 x 54	White
	06.R200.BK	2000 x 76 x 54	Black
	06.R300.WH	3000 x 76 x 54	White
	06.R300.BK	3000 x 76 x 54	Black

(i) » 318

IN_LINE CORNER R HR





CE ENEC IP20 48V

MATERIAL | AL

	Code	Color
Recessed «L» track connector (8 pcs 06.R/SLNCON included)	06.R90HR.WH	White
	06.R90HR.BK	Black

(i) » 318

IN_LINE CORNER R IN





CE ENEC IP20 48V

MATERIAL | AL

	Code	Color
Recessed «L» connector Ceiling to Wall, in-installation (8 pcs 06.R/SLNCON included)	06.R90IN.WH	White
	06.R90IN.BK	Black

(i) » 318

IN_LINE CORNER R OUT



CE ENEC IP20 48V


MATERIAL | AL

	Code	Color
Recessed «L» track connector Wall to Wall out-installation (8 pcs 06.R/SLNCON included)	06.R90OUT.WH	White
	06.R90OUT.BK	Black

(i) » 318



IN_LINE TRACK S



	Code	Dimensions (mm): LxWxH	Color
Surface / Suspension track	06.S200.WH	2000 x 30 x 54	White
	06.S200.BK	2000 x 30 x 54	Black
	06.S200.LG	2000 x 30 x 54	Like gold
	06.S200.LB	2000 x 30 x 54	Like brass
	06.S300.WH	3000 x 30 x 54	White
	06.S300.BK	3000 x 30 x 54	Black





CE ENEC IP20 48V EXCL

MATERIAL | AL

i » 318

IN_LINE CORNER S HR




	Code	Color
Surface/suspension «L» track connector (2 pcs 06.R/SLNCON included)	06.S90HR.WH	White
	06.S90HR.BK	Black
	06.S90HR.LG	Like gold
	06.S90HR.LB	Like brass





CE ENEC IP20 48V

MATERIAL | AL

i » 318



IN_LINE CORNER S IN





	Code	Color
Surface «L» track connector Ceiling to Wall in – installation	06.S90IN.WH	White
(2 pcs 06.R/SLNCON included)	06.S90IN.BK	Black

CE ENEC IP20 48V

MATERIAL | AL

[i](#) » 318

IN_LINE CORNER S OUT




	Code	Color
Surface «L» track connector – Wall to Wall out – installation	06.S90OUT.WH	White
(2 pcs 06.R/SLNCON included)	06.S90OUT.BK	Black

CE ENEC IP20 48V

MATERIAL | AL

[i](#) » 318

IN_LINE END CAP R/S



	Code	Color
End cap for Recessed & Surface 2 pcs/set	06.R/SECAP.WH	White
	06.R/SECAP.BK	Black
	06.R/SECAP.LG	Like gold
	06.R/SECAP.LB	Like brass


CE ENEC IP20

MATERIAL | PC

[i](#) » 318



IN_LINE CORNER 90



CE ENEC IP20 48V



MATERIAL | AL

Code Color

Surface «90» track electrical connector	06.SE90HR.WH	White
	06.SE90HR.BK	Black

(i) » 318

IN_LINE CORNER T RIGHT



CE ENEC IP20 48V


MATERIAL | AL

Code Color

Surface T right track electrical connector	06.SETRHR.WH	White
	06.SETRHR.BK	Black

(i) » 318

IN_LINE CORNER T LEFT



CE ENEC IP20 48V


MATERIAL | AL

Code Color

Surface T left track electrical connector	06.SETLHR.WH	White
	06.SETLHR.BK	Black

(i) » 318

IN_LINE CORNER X



CE ENEC IP20 48V


MATERIAL | AL

Code Color



Surface «X» track electrical connector	06.SEQHR.WH	White
	06.SEQHR.BK	Black

(i) » 318

INSTALLATION SURFACE TRACK SYSTEM IN_LINE TRACK S



IN_LINE CORNER 180



CE ENEC IP20 48V


MATERIAL | AL

Code Color

Surface «180» track electrical connector	06.SE180HR.WH	White
	06.SE180HR.BK	Black

» 318

IN_LINE CORNER 120



CE ENEC IP20 48V


MATERIAL | AL

Code Color


Surface «120» track electrical connector	06.SE120HR.WH	White
	06.SE120HR.BK	Black

» 318

INSTALLATION SURFACE TRACK SYSTEM IN_LINE TRACK S



IN_LINE SHORT TRACK S





	Code	Dimensions (mm): LxWxH	Color
Surface / Suspension track (End caps 2pcs included)	06.SS300.WH	3000 x 30 x 37	White
	06.SS300.BK	3000 x 30 x 37	Black

CE ENEC IP20 48V

MATERIAL | AL

» 318

IN_LINE SHORT CORNER S HR



	Code	Color
Surface/suspension «L» track connector (2 pcs 06.R/SLNCON included)	06.SS90HR.WH	White
	06.SS90HR.BK	Black

CE ENEC IP20 48V

MATERIAL | AL

» 318

IN_LINE SHORT END CAP



	Code	Color
End cap for surface 2 pcs/set	06.SSCAP.WH	White
	06.SSCAP.BK	Black


CE ENEC IP20

MATERIAL | PC

» 318



IN_LINE LIVE END




CE ENE ↓ F IP20 48V

MATERIAL | PC

	Code	Dimensions (mm): LxWxH	Color
Feed cable	06.SLE60.WH	600	White
	06.SLE60.BK	600	Black

» 318

IN_LINE LIVE END




CE ENE ↓ F IP20 48V

MATERIAL | PC

	Code	Dimensions (mm): LxWxH	Color
Feed cable	06.SLE150.WH	1500	White
	06.SLE150.BK	1500	Black

» 318

IN_LINE ELECTRICAL JOINT




CE ENE ↓ F IP20 48V

MATERIAL | PC

	Code	Color
Electrical joint live end for track, without cable	06.SLE00.WH	White
	06.SLE00.BK	Black

» 318

IN_LINE ELECTRICAL JOINT FLEX




CE ENE ↓ F IP20 48V

MATERIAL | PC

	Code	Color
Electrical joint flex connector for track	06.S2LE60.WH	White
	06.S2LE60.BK	Black

» 318

IN_LINE MEC JOINT





CE ENE ↓ F IP20

MATERIAL | INOX

	Code	Color
Mechanical linear connector for track	06.R/SLNCON	Black

» 318

IN_LINE COVER R/S



	Code	Dimensions (mm): LxWxH	Color
Track cover for Recessed & Surface	06.R/SCOV200.WH	2000 x 26 x 5	White
	06.R/SCOV200.BK		Black
	06.R/SCOV300.WH	3000 x 26 x 5	White
	06.R/SCOV300.BK		Black




CE ENE ↓ F IP20

MATERIAL | PC

» 318

IN_LINE SUSP KIT




	Code	Dimensions (mm): LxWxH	Color
Suspension	06.SS150.WH	1500 x 26 x 5	White
	06.SS150.BK		Black
	06.SS150.ZZ		Steel

CE ENE ↓ F IP20

MATERIAL | INOX

» 318

IN_LINE POWER UNIT 100




CE ENEC IP20 SELV 48V NODIM

MATERIAL | AL

» 318

	Code	Power Watt	Color
Power supply	06.PSU.100.WH	100	White
	06.PSU.100.BK	100	Black

IN_LINE POWER UNIT 200




CE ENEC IP20 SELV 48V NODIM

MATERIAL | AL

» 318

	Code	Power Watt	Color
Power supply	06.PSU.200.WH	200	White
	06.PSU.200.BK	200	Black

POWER SUPPLY




CE IP20 48V NODIM

MATERIAL | PC

» 318

	Code	Dimensions (mm): LxWxH	Power Watt	Color
	06.PSU.100.W/O	298 x 30 x 16,5	100	Grey
	06.PSU.250.W/O	384 x 30 x 22	250	Grey

POWER SUPPLY DIMMING DALI




CE IP20 48V DALI

MATERIAL | STEEL

» 318

	Dimensions (mm): LxWxH	Power Watt	Color
28001233	235 x 100 x 31	75	White
28001044	235 x 100 x 31	150	White

POWER SUPPLY DIMMING DALI




CE IP20 48V DALI

MATERIAL | PC


» 318

	Dimensions (mm): LxWxH	Power Watt	Color
28000815	360 x 40 x 21	75	White / Grey
28001235	360 x 40 x 21	150	White / Grey


INSTALLATION RECESSED TRACK SYSTEM IN_LINE TRACK T



INSTALLATION RECESSED TRACK SYSTEM IN_LINE TRACK R




INSTALLATION SURFACE TRACK SYSTEM IN_LINE TRACK S






ⓘ Every 10 meters of track must be connected to a separate power supply adapter. Maximum permissible current for one electrical circuit - 8.5A (400W)

INSTALLATION SUSPENDED TRACK SYSTEM IN_LINE



ⓘ Every 10 meters of track must be connected to a separate power supply adapter. Maximum permissible current for one electrical circuit - 8.5A (400W)



INSTALLATION SURFACE TRACK SYSTEM IN_LINE SHORT TRACK S



ⓘ Every 10 meters of track must be connected to a separate power supply adapter. Maximum permissible current for one electrical circuit - 8.5A (400W)



IN_LINE LINEA 205





Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2050.6.930.WH	406	6	3000	>90	White
06.2050.6.930.BK	406	6	3000	>90	Black
06.2050.6.940.WH	435	6	4000	>90	White
06.2050.6.940.BK	435	6	4000	>90	Black



MATERIAL | AL PC

» 318

IN_LINE LINEA 407





Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.4070.11.930.WH	782	11	3000	>90	White
06.4070.11.930.BK	782	11	3000	>90	Black
06.4070.11.940.WH	810	11	4000	>90	White
06.4070.11.940.BK	810	11	4000	>90	Black



MATERIAL | AL PC

» 318

IN_LINE LINEA 800



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.8000.18.930.WH	1450	18	3000	>90	White
06.8000.18.930.BK	1450	18	3000	>90	Black
06.8000.18.940.WH	1495	18	4000	>90	White
06.8000.18.940.BK	1495	18	4000	>90	Black



MATERIAL | AL PC


» 318



IN_LINE COMFORT 69



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0691.4.930.BK	273	4	3000	>90	Black
06.0691.4.940.BK	330	4	4000	>90	Black




MATERIAL | AL PC

» 318

IN_LINE COMFORT 137



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1371.8.930.BK	557	8	3000	>90	Black
06.1371.8.940.BK	684	8	4000	>90	Black




MATERIAL | AL PC

» 318

IN_LINE COMFORT 205




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2051.12.930.WH	850	12	3000	>90	White
06.2051.12.930.BK	850	12	3000	>90	Black
06.2051.12.940.WH	850	12	4000	>90	White
06.2051.12.940.BK	850	12	4000	>90	Black




MATERIAL | AL PC

» 318

IN_LINE COMFORT 407



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.4071.20.930.WH	1700	20	3000	>90	White
06.4071.20.930.BK	1700	20	3000	>90	Black
06.4071.20.940.WH	1700	20	4000	>90	White
06.4071.20.940.BK	1700	20	4000	>90	Black




MATERIAL | AL PC

» 318

IN_LINE WALL WASHER 205



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2055.10.930.BK	990	10	3000	>90	Black
06.2055.10.940.BK	1025	10	4000	>90	Black



MATERIAL | AL PC


» 318



IN_LINE TUB XS A22 X2




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2221.4.930.WH	2 x 90	2 x 2	3000	>90	White
06.2221.4.930.BK	2 x 90	2 x 2	3000	>90	Black
06.2221.4.930.BR	2 x 77	2 x 2	3000	>90	Brass
06.2221.4.930.CR	2 x 77	2 x 2	3000	>90	Chrome




MATERIAL | AL PC


» 318




06.2221.4.930.WH



06.2221.4.930.BK




06.2221.4.930.BR




06.2221.4.930.CR



IN_LINE COMFORT B 205




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2052.12.930.BK	850	12	3000	>90	Black
06.2052.12.940.BK	850	12	4000	>90	Black




MATERIAL | AL PC

i » 318

IN_LINE LINEA B 205



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2053.6.930.WH	410	6	3000	>90	White
06.2053.6.930.BK	410	6	3000	>90	Black
06.2053.6.940.WH	424	6	4000	>90	White
06.2053.6.940.BK	424	6	4000	>90	Black



MATERIAL | AL PC


i » 318



IN_LINE LED INDIRECT



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.SUPPCB.930	1450	12	3000	>90	White
06.SUPPCB.940	1450	12	4000	>90	White




LED CE ENEC IP20 48V EXCL 110° -LEDs/cut 15/175mm

MATERIAL | AL PC

» 318




Code	Dimensions (mm): LxWxH	Color
06.SUPCOV	1000 x 24 x 5,3	Transparent




LED CE IP20

MATERIAL | PC


» 318



IN_LINE TUB XS A 48




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0248.02.930.WH	112	2,1	3000	>90	White
06.0248.02.930.BK	112	2,1	3000	>90	Black



MATERIAL | AL PC

» 318





06.0248.02.930.WH



06.0248.02.930.BK



IN_LINE TUB S A 60



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0361.8.930.WH	570	5,4	3000	>90	White
06.0361.8.930.BK	570	5,4	3000	>90	Black
06.0361.8.930.WHW	570	5,4	3000	>90	White/White
06.0361.8.930.BR	570	5,4	3000	>90	Brass
06.0361.8.930.CR	570	5,4	3000	>90	Chrome
NEW 06.0361.8.930.DB	570	5,4	3000	>90	Diamond black
NEW 06.0361.8.930.SB	570	5,4	3000	>90	Sahara beige
06.0361.8.940.WH	620	5,4	4000	>90	White
06.0361.8.940.BK	620	5,4	4000	>90	Black
06.0361.8.940.WHW	620	5,4	4000	>90	White/White
06.0361.8.940.BR	620	5,4	4000	>90	Brass
06.0361.8.940.CR	620	5,4	4000	>90	Chrome
NEW 06.0361.8.940.DB	620	5,4	4000	>90	Diamond black
NEW 06.0361.8.940.SB	620	5,4	4000	>90	Sahara beige



MATERIAL | AL PC

[i](#) » 318


ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313



06.0361.8.930.BR



06.0361.8.930.CR





06.0361.8.930.DB



06.0361.8.930.SB

IN_LINE TUB S A 60 X2



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2301.14.930.WH	2 x 504	2 x 4,5	3000	>90	White
06.2301.14.930.BK	2 x 504	2 x 4,5	3000	>90	Black
06.2301.14.930.BR	2 x 504	2 x 4,5	3000	>90	Brass
06.2301.14.930.CR	2 x 504	2 x 4,5	3000	>90	Chrome
NEW 06.2301.14.930.DB	2 x 504	2 x 4,5	3000	>90	Diamond black
NEW 06.2301.14.930.SB	2 x 504	2 x 4,5	3000	>90	Sahara beige
06.2301.14.940.WH	2 x 536	2 x 4,5	4000	>90	White
06.2301.14.940.BK	2 x 536	2 x 4,5	4000	>90	Black
06.2301.14.940.BR	2 x 536	2 x 4,5	4000	>90	Brass
06.2301.14.940.CR	2 x 536	2 x 4,5	4000	>90	Chrome
NEW 06.2301.14.940.DB	2 x 536	2 x 4,5	4000	>90	Diamond black
NEW 06.2301.14.940.SB	2 x 536	2 x 4,5	4000	>90	Sahara beige



MATERIAL | AL PC


[i](#) » 318

ACCESSORIES


	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313

IN_LINE ZOOM S




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0369.6.930.WH	228 - 307	5,4	3000	>90	White
06.0369.6.930.BK	228 - 307	5,4	3000	>90	Black
06.0369.6.940.WH	240 - 322	5,4	4000	>90	White
06.0369.6.940.BK	240 - 322	5,4	4000	>90	Black




MATERIAL | AL PC

» 318

IN_LINE TUB M NB



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0595.9.930.WH	640	10	3000	>90	White
06.0595.9.930.BK	640	10	3000	>90	Black
06.0595.9.940.WH	640	10	4000	>90	White
06.0595.9.940.BK	640	10	4000	>90	Black




MATERIAL | AL PC

» 318

IN_LINE ZOOM




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0599.13.930.WH	615 - 1040	13	3000	>90	White
06.0599.13.930.BK	615 - 1040	13	3000	>90	Black
06.0599.13.940.WH	615 - 1040	13	4000	>90	White
06.0599.13.940.BK	615 - 1040	13	4000	>90	Black



MATERIAL | AL PC


» 318




06.0369.6.930.WH




06.0369.6.930.BK



06.0599.13.930.WH



06.0599.13.930.BK




06.0595.9.930.WH



06.0595.9.930.BK



IN_LINE GALLERY




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.5160.13.930.WH	600	6,3	3000	>90	White
06.5160.13.930.BK	600	6,3	3000	>90	Black
06.5160.13.940.WH	620	6,3	4000	>90	White
06.5160.13.940.BK	620	6,3	4000	>90	Black

MATERIAL | AL PC (i) » 318

A (mm)	H (mm)	φ (mm)
1000	320	500
2000	630	990
3000	950	1490





06.5160.13.930.WH



06.5160.13.930.BK



IN_LINE TUB M A 90



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0591.14.930.WH	1210	10,8	3000	>90	White
06.0591.14.930.BK	1210	10,8	3000	>90	Black
06.0591.14.930.WHW	1210	10,8	3000	>90	White/White
06.0591.14.930.BR	1210	10,8	3000	>90	Brass
06.0591.14.930.CR	1210	10,8	3000	>90	Chrome
NEW 06.0591.14.930.DB	1210	10,8	3000	>90	Diamond black
NEW 06.0591.14.930.SB	1210	10,8	3000	>90	Sahara beige
06.0591.14.940.WH	1320	10,8	4000	>90	White
06.0591.14.940.BK	1320	10,8	4000	>90	Black
06.0591.14.940.WHW	1320	10,8	4000	>90	White/White
06.0591.14.940.BR	1320	10,8	4000	>90	Brass
06.0591.14.940.CR	1320	10,8	4000	>90	Chrome
NEW 06.0591.14.940.DB	1320	10,8	4000	>90	Diamond black
NEW 06.0591.14.940.SB	1320	10,8	4000	>90	Sahara beige



MATERIAL | AL PC

» 318



06.0591.14.930.WHW



06.0591.14.930.BK



06.0591.14.930.SB



06.0591.14.930.BR



06.0591.14.930.CR




06.0591.14.930.DB

ACCESSORIES

- Shield TUB M Copper 06.A05SH.CP
- Shield TUB M Brass 06.A05SH.BR
- Shield L TUB M Copper 06.A05SHL.CP
- Shield L TUB M Brass 06.A05SHL.BR
- Wall washer 06.A05WW
- Snoot, black 06.A05NB
- Foggy cover 06.A05FG
- Honeycomb 06.A05HC
- Elips diffuser 06.A05ELPS
- Foggy diffuser 06.A05SFT
- Lens 15° 06.A05LS15
- Lens 30° 06.A05LS30


» 313



IN_LINE TUB M A 140



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0514.19.930.WH	1640	19	3000	>90	White
06.0514.19.930.BK	1640	19	3000	>90	Black
06.0514.19.940.WH	1885	19	4000	>90	White
06.0514.19.940.BK	1885	19	4000	>90	Black



MATERIAL | AL PC

[i](#) » 318

ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

[i](#) » 313



06.0514.19.930.WH




06.0514.19.930.BK



IN_LINE SOL MINI



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.7526.7.930.WH	640	7	3000	>90	White
06.7526.7.930.BK	640	7	3000	>90	Black
06.7526.7.940.WH	695	7	4000	>90	White
06.7526.7.940.BK	695	7	4000	>90	Black




MATERIAL | AL PC

[i](#) » 318


ACCESSORIES

	Replaceable ring. White color	SOL M RING WHITE
	Replaceable ring. Black color	SOL M RING BLACK
	Replaceable ring. Copper color	SOL M RING COPPER
	Replaceable ring. Brass color	SOL M RING BRASS
	Replaceable ring. Chrome color	SOL M RING CHROME
	Replaceable ring. Diamond black color	SOL M RING DIAMOND BLACK

[i](#) » 313



06.7526.7.930.WH + SOL M RING BRASS 06.7526.7.930.WH + SOL M RING COPPER 06.7526.7.930.WH + SOL M RING CHROME 06.7526.7.930.WH + SOL M RING DIAMOND BLACK




06.7526.7.930.BK + SOL M RING BRASS 06.7526.7.930.BK + SOL M RING COPPER 06.7526.7.930.BK + SOL M RING CHROME 06.7526.7.930.WH + SOL M RING DIAMOND BLACK

IN_LINE SOL



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.9533.14.930.WH	1210	10,8	3000	>90	White
06.9533.14.930.BK	1210	10,8	3000	>90	Black
06.9533.14.940.WH	1320	10,8	4000	>90	White
06.9533.14.940.BK	1320	10,8	4000	>90	Black



MATERIAL | AL PC

[i](#) » 318

ACCESSORIES


	Replaceable ring. White color	SOL RING WHITE
	Replaceable ring. Black color	SOL RING BLACK
	Replaceable ring. Copper color	SOL RING COPPER
	Replaceable ring. Brass color	SOL RING BRASS
	Replaceable ring. Chrome color	SOL RING CHROME
	Replaceable ring. Diamond black color	SOL RING DIAMOND BLACK

	Lens 12°	06.A09LS12
--	----------	------------

[i](#) » 313





06.9533.14.930.WH + SOL RING BRASS 06.9533.14.930.WH + SOL RING COPPER 06.9533.14.930.WH + SOL RING CHROME 06.9533.14.930.WH + SOL RING DIAMOND BLACK



06.9533.14.930.BK + SOL RING BRASS 06.9533.14.930.BK + SOL RING COPPER 06.9533.14.930.BK + SOL RING CHROME 06.9533.14.930.BK + SOL RING DIAMOND BLACK

IN_LINE WIN




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.win.3.930.BK	1800	3	3000	>90	Black



MATERIAL | AL GL

i » 318

IN_LINE SFERA




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1001.5.930.WH	498	5	3000	>90	White




MATERIAL | AL GL

i » 318

IN_LINE ART




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2420.14.930.BK	750	14	3000	>90	Black




MATERIAL | AL PC

i » 318

IN_LINE STICKS



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.8003.20.830.BK	2400	20	3000	>90	Black




MATERIAL | AL PC


» 318



IN_LINE BALL M



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1000.7.930.WH	590	7	3000	>90	White
06.1000.7.930.BK	590	7	3000	>90	Black




MATERIAL | AL GL

» 318




06.1000.7.930.WH




06.1000.7.930.BK

IN_LINE BALL L




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1800.28.930.WH	2181	28	3000	>90	White
06.1800.28.930.BK	2181	28	3000	>90	Black



MATERIAL | AL GL

» 318




06.1800.28.930.WH




06.1800.28.930.BK

IN_LINE TUB XS P




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0160.2.930.WH	137	2,4	3000	>90	White
06.0160.2.930.BK	137	2,4	3000	>90	Black
06.0160.2.930.BR	137	2,4	3000	>90	Brass



MATERIAL | AL PC

» 318



06.0160.2.930.WH

06.0160.2.930.BK


06.0160.2.930. BR



IN_LINE MATCH 450



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0340.7.930.BR	415	7	3000	>90	Brass
06.0340.7.940.BR	415	7	4000	>90	Brass




MATERIAL | BR PC

» 318

IN_LINE MATCH 550



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0350.7.930.BR	415	7	3000	>90	Brass
06.0350.7.940.BR	415	7	4000	>90	Brass





MATERIAL | BR PC

» 318



IN_LINE TUB S P 200



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0320.8.930.WH	558	8	3000	>90	White
06.0320.8.930.BK	558	8	3000	>90	Black
06.0320.8.930.BR	558	8	3000	>90	Brass
NEW 06.0320.8.930.DB	558	8	3000	>90	Diamond black
06.0320.8.940.WH	558	8	4000	>90	White
06.0320.8.940.BK	558	8	4000	>90	Black
06.0320.8.940.BR	558	8	4000	>90	Brass
NEW 06.0320.8.940.DB	558	8	4000	>90	Diamond black



MATERIAL | AL PC

[i](#) » 318

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313




06.0320.8.930.WH

06.0320.8.930.BK

06.0320.8.930.BR

06.0320.8.930.DB

IN_LINE TUB S P 300



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0331.8.930.WH	389	8	3000	>90	White
06.0331.8.930.BK	389	8	3000	>90	Black
NEW 06.0331.8.930.BR	389	8	3000	>90	Brass
06.0331.8.940.WH	474	8	4000	>90	White
06.0331.8.940.BK	474	8	4000	>90	Black
NEW 06.0331.8.940.BR	474	8	4000	>90	Brass




MATERIAL | AL PC

[i](#) » 318

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313




06.0331.8.930.WH

06.0331.8.930.BK

06.0331.8.930.BR

IN_LINE TUB S P 600



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0360.8.930.WH	657	8	3000	>90	White
06.0360.8.930.BK	657	8	3000	>90	Black
06.0360.8.930.BR	657	8	3000	>90	Brass
06.0360.8.940.WH	657	8	4000	>90	White
06.0360.8.940.BK	657	8	4000	>90	Black
06.0360.8.940.BR	657	8	4000	>90	Brass




MATERIAL | AL PC

[i](#) » 318

ACCESSORIES

	Honeycomb	06.A03HC
	Lens 24°	06.A03LS24
	Lens 32°	06.A03LS32

[i](#) » 313




06.0360.8.930.WH

06.0360.8.930.BK

06.0360.8.930.BR

IN_LINE TUB S P 300 ZOOM



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0339.6.930.WH	228 - 307	5,4	3000	>90	White
06.0339.6.930.BK	228 - 307	5,4	3000	>90	Black
06.0339.6.940.WH	228 - 307	5,4	4000	>90	White
06.0339.6.940.BK	228 - 307	5,4	4000	>90	Black



MATERIAL | AL PC

[i](#) » 318



06.0339.6.930.WH

06.0339.6.930.BK

IN_LINE TUB M P 200




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0521.19.930.WH	1280	10,8	3000	>90	White
06.0521.19.930.BK	1280	10,8	3000	>90	Black
06.0521.19.940.WH	1348	10,8	4000	>90	White
06.0521.19.940.BK	1348	10,8	4000	>90	Black



MATERIAL | AL PC

» 318



ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 30°	06.A05LS30

» 313




06.0521.19.930.WH + 06.A05SH.CP



06.0521.19.930.BK + 06.A05SH.BR




06.0521.19.930.WH + 06.A05SHL.CP



06.0521.19.930.BK + 06.A05SHL.BR




06.0521.19.930.WH + 06.A05FG



06.0521.19.930.BK + 06.A05FG



06.0521.19.930.WH + 06.A05FG



06.0521.19.930.BK + 06.A05FG

IN_LINE TUB M P 200 ZOOM




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0529.13.930.WH	615-1040	13	3000	>90	White
06.0529.13.930.BK	615-1040	13	3000	>90	Black
06.0529.13.940.WH	615-1040	13	4000	>90	White
06.0529.13.940.BK	615-1040	13	4000	>90	Black



MATERIAL | AL PC

» 318



06.0529.13.930.WH




06.0529.13.930.BK

IN_LINE CONE



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.3200.12.930.BK	715	12	3000	>90	Black




MATERIAL | AL PC

» 318

IN_LINE DISK




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.1570.15.930.BK	715	15	3000	>90	Black



MATERIAL | AL PC

» 318







SERIES LUMINAIRES IN_LINE TUNABLE WHITE

The IN_LINE TRACK series features luminaires with Tunable White (TW) color temperature and brightness control technology from 2700K to 6500K. Dimming and color temperature changes are controlled separately from each other.

IN_LINE LINEA 205 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2050.6.TW.WH	419 - 435	6	2700 - 6500	>90	White
06.2050.6.TW.BK	419 - 435	6	2700 - 6500	>90	Black




MATERIAL | AL PC

» 318

IN_LINE COMFORT B 205 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2052.10.TW.BK	563 - 632	10	2700 - 6500	>90	Black




MATERIAL | AL PC

» 318

IN_LINE LINEA 407 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.4070.11.TW.WH	733 - 834	11	2700 - 6500	>90	White
06.4070.11.TW.BK	733 - 834	11	2700 - 6500	>90	Black




MATERIAL | AL PC

» 318

IN_LINE LINEA B 205 TW




Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2053.6.TW.WH	419 - 435	10	2700 - 6500	>90	White
06.2053.6.TW.BK	419 - 435	10	2700 - 6500	>90	Black




MATERIAL | AL PC

» 318

IN_LINE COMFORT 205 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.2051.10.TW.WH	563 - 632	10	2700 - 6500	>90	White
06.2051.10.TW.BK	563 - 632	10	2700 - 6500	>90	Black



MATERIAL | AL PC

» 318



06.2053.6.TW.WH




06.2053.6.TW.BK

IN_LINE TUB S A 60 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0361.6.TW.WH	393 - 454	6,3	2700 - 6500	>90	White
06.0361.6.TW.BK	393 - 454	6,3	2700 - 6500	>90	Black




MATERIAL | AL PC (i) » 318

IN_LINE TUB S A 140 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0514.18.TW.WH	1140 - 1386	18	2700 - 6500	>90	White
06.0514.18.TW.BK	1140 - 1386	18	2700 - 6500	>90	Black




MATERIAL | AL PC (i) » 318

IN_LINE TUB S A 90 TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.0591.13.TW.WH	840 - 994	13	2700 - 6500	>90	White
06.0591.13.TW.BK	840 - 994	13	2700 - 6500	>90	Black




MATERIAL | AL PC (i) » 318

ACCESSORIES

	Shield TUB M Copper	06.A05SH.CP
	Shield TUB M Brass	06.A05SH.BR
	Shield L TUB M Copper	06.A05SHL.CP
	Shield L TUB M Brass	06.A05SHL.BR
	Wall washer	06.A05WW
	Snoot, black	06.A05NB
	Foggy cover	06.A05FG
	Honeycomb	06.A05HC
	Elips diffuser	06.A05ELPS
	Foggy diffuser	06.A05SFT
	Lens 15°	06.A05LS15
	Lens 50°	06.A05LS50

(i) » 313




06.0361.6.TW.WH

06.0361.6.TW.BK

06.0591.13.TW.WH



06.0591.13.TW.BK



06.0514.18.TW.WH

06.0514.18.TW.BK

IN_LINE SOL TW



Code	Product Lumen	Power Watt	Color T (K)	CRI	Color
06.9533.13.TW.WH	881 - 1025	13	2700 - 6500	>90	White
06.9533.13.TW.BK	881 - 1025	13	2700 - 6500	>90	Black


MATERIAL | AL PC

» 318

ACCESSORIES

	Replaceable ring. White color	SOL RING WHITE
	Replaceable ring. Black color	SOL RING BLACK
	Replaceable ring. Copper color	SOL RING COPPER
	Replaceable ring. Brass color	SOL RING BRASS
	Replaceable ring. Chrome color	SOL RING CHROME
	NEW Replaceable ring. Diamond black color	SOL RING DIAMOND BLACK
	Lens 12°	06.A09LS12
	Lens 38°	06.A09LS38

» 313




06.9533.13.TW .BK + SOL RING BRASS



06.9533.13.TW.BK + SOL RING COPPER




06.9533.13.TW.BK + SOL RING CHROME



06.9533.13.TW.BK + SOL RING DIAMOND BLACK





Connected App is a smartphone and tablet app that allows you to control lighting installed on WIZ devices.

To get started with the WIZ app, you'll need to:

- Install WIZ lamps or fixtures in your home or office.
- They should be connected to Wi-Fi.
- Download the WIZ Connected App on your smartphone or tablet. The app is available for free on iOS and Android devices.
- Register on the app and set up your account.

After registration, you'll be prompted to add all the WIZ devices you want to control to the app. You can do this by following the instructions in the app.



2700K



3000K




4000K




6500K

LTX

OUTDOOR



RAIN IP



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
08.0667.6.930.WH	516	6,3	3000	>90	700	White
08.0667.6.930.GR	516	6,3	3000	>90	700	Graphite

i DRIVER MUST BE PLACED ON REMOTE



MATERIAL | **AL** **GL**

i » 318




08.0667.6.930.WH



08.0667.6.930.GR



KASK



Code	Product Lumen	Power Watt	Color T (K)	CRI	*	Color
08.1100.7.000.GR	xxx	7	xxx	xxx	GU10	Graphite


ⓘ 1 X LED BULB GU10 NOT INCLUDED



MATERIAL | AL GL

ⓘ » 318

BARREL76 S



Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
08.1111.9.930.GR.50	1200	9	3000	>90	250	Graphite




MATERIAL | AL GL

ⓘ » 318



BIM70 S



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.1112.8.930.GR.50	948	8,4	3000	>90	220	Graphite



MATERIAL | AL GL

» 318




GRAPH1



Code	Product Lumen	Power Watt	Color T (K)	CRI	*	Color
08.2010.7.000.WH	xxx	7	xxx	xxx	GU10	White
08.2010.7.000.GR	xxx	7	xxx	xxx	GU10	Graphite

ⓘ 1 X LED BULB GU10 NOT INCLUDED



MATERIAL | AL GL


ⓘ » 318

GRAPH2



Code	Product Lumen	Power Watt	Color T (K)	CRI	*	Color
08.2010.14.000.WH	xxx	2x7	xxx	xxx	GU10	White
08.2010.14.000.GR	xxx	2x7	xxx	xxx	GU10	Graphite

ⓘ 2 X LED BULB GU10 NOT INCLUDED



MATERIAL | AL GL


ⓘ » 318



08.2010.7.000.WH




08.2010.14.000.WH



BRICK 1



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.2003.4.930.WH	314	4	3000	>90	220	White
08.2003.4.930.GR	314	4	3000	>90	220	Graphite




MATERIAL | AL GL (i) » 318

BRICK 2




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.2003.8.930.WH	2 x 314	2 x 4	3000	>90	220	White
08.2003.8.930.GR	2 x 314	2 x 4	3000	>90	220	Graphite



MATERIAL | AL GL (i) » 318



08.2003.4.930.WH




08.2003.8.930.WH



BUTTON IP



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.2051.18.927.GR	161	18	2700	>90	220	Graphite




MATERIAL | AL GL

» 318



ON WALL

NEW



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.2036.14.930.GR	769	14	3000	>90	220	Graphite




MATERIAL | AL GL

» 318



ON WALL IP



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.2020.13.930.GR	455	12,6	3000	>90	220	Graphite




MATERIAL | AL GL


» 318



WIN IP




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.1052.5.930.GR	198	4,5	3000	>90	220	Graphite




MATERIAL | AL GL

» 318




IN WALL IP



	Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
NEW	08.5240.R2.927.WH	21	2,1	2700	>90	700	White
	08.5240.R2.927.GR	21	2,1	2700	>90	700	Graphite


i DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL GL


i » 318

IN WALL IP




	Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
NEW	08.5240.S2.927.WH	7	2,1	2700	>90	700	White
	08.5240.S2.927.GR	7	2,1	2700	>90	700	Graphite

i DRIVER MUST BE PLACED ON REMOTE




MATERIAL | AL GL

i » 318




08.5240.R2.927.WH



08.5240.S2.927.WH




IN WALL IP



	Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
NEW	08.5239.R2.927.WH	21	2,1	2700	>90	700	White
	08.5239.R2.927.GR	21	2,1	2700	>90	700	Graphite


i DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL GL


i » 318

IN WALL IP




	Code	Product Lumen	Power Watt	Color T (K)	CRI	mA	Color
NEW	08.5239.S2.927.WH	7	2,1	2700	>90	700	White
	08.5239.S2.927.GR	7	2,1	2700	>90	700	Graphite

i DRIVER MUST BE PLACED ON REMOTE




MATERIAL | AL GL

i » 318




08.5239.R2.927.WH



08.5239.S2.927.WH




IN WALL DOT



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.3854.R1.830.SS	42	1,4	3000	>80	24	Stainless steel

i DRIVER MUST BE PLACED ON REMOTE




MATERIAL | **INOX**

i » 318



VISOR50




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.3011.8.930.GR.15	750	7,7	3000	>90	48	Graphite
08.3011.8.930.GR.30	750	7,7	3000	>90	48	Graphite
08.3011.8.930.GR.50	750	7,7	3000	>90	48	Graphite

DRIVER MUST BE PLACED ON REMOTE

ACCESSORIES

	Spike	D 40 mm, H 164 mm	08.3011.SPIKE
	Anchor system	D 38 mm H 182 mm	08.3011.ANCHOR


» 313



MATERIAL | AL GL

» 318

VISOR72




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.3012.11.930.GR.15	1423	10,3	3000	>90	48	Graphite
08.3012.11.930.GR.30	1423	10,3	3000	>90	48	Graphite
08.3012.11.930.GR.50	1423	10,3	3000	>90	48	Graphite

DRIVER MUST BE PLACED ON REMOTE

ACCESSORIES

	Tree belt	W 80 mm, H 60 mm, L 1800 mm	08.30.1112.BELT
	Spike	D 40 mm, H 164 mm	08.3011.SPIKE
	Anchor system	D 60 mm H 172 mm	08.3012.ANCHOR


» 313



MATERIAL | AL GL


» 318

VISOR140



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.3007.6.930.GR	205	6,3	3000	>90	220	Graphite

Installation of the luminous flux limiter




MATERIAL | AL GL

» 318

ACCESSORIES

	Tree belt	W 80 mm, H 60 mm, L 1800 mm	08.30.1112.BELT
	Spike	D 40 mm, H 164 mm	08.3011.SPIKE
	Anchor system	D 60 mm H 172 mm	08.3012.ANCHOR


» 313




UPP77



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.4011.8.930.SS.30	750	7,7	3000	>90	48	Stainless steel




DRIVER MUST BE PLACED ON REMOTE




MATERIAL | INOX GL

» 318


UPP77 WW



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.4012.6.930.SS.WW	503	6,2	3000	>90	48	Stainless steel



DRIVER MUST BE PLACED ON REMOTE





MATERIAL | INOX GL

» 318

UPP 220V



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.4013.R6.930.SS.30	532	6,3	3000	>90	220	Stainless steel




MATERIAL | INOX GL

» 318



BARD1 68




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.5000.10.830.GR	600	10	3000	>90	220	Graphite




MATERIAL | AL PMMA

» 318



BARD2




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.5001.10.930.GR	752	10	3000	>90	220	Graphite



MATERIAL | AL PMMA


[i](#) » 318



BARD3




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.5003.13.927.GR	894	13	2700	>90	220	Graphite



MATERIAL | AL PMMA


» 318



BARD4



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.5004.18.927.GR	617	18	2700	>90	220	Graphite




LED CE ENE ↓ III F IP65 INCL 120°

MATERIAL | AL PMMA

i » 318



BARD5




Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.5005.18.927.GR	685	18	2700	>90	220	Graphite



MATERIAL | AL PMMA


[i](#) » 318



BARD6



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.5006.18.927.GR	877	18	2700	>90	220	Graphite





MATERIAL | AL PMMA

» 318



YARD 2



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.6006.4.830.GR	160	4	3000	>90	48	Graphite


i DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL PC

i » 318

YARD 2



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.6012.8.830.GR	320	8	3000	>90	48	Graphite

i DRIVER MUST BE PLACED ON REMOTE




MATERIAL | AL PC

i » 318



YARD



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.6010.4.927.GR	248	3,6	2700	>90	24	Graphite


DRIVER MUST BE PLACED ON REMOTE



MATERIAL | AL PC

» 318

YARD 1



Code	Product Lumen	Power Watt	Color T (K)	CRI	V	Color
08.6020.6.930.GR	248	6,3	3000	>90	220	Graphite




MATERIAL | AL PC

» 318






LED STRIP & PROFILE



Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.48.120.09.20.050.830	5000x10x1,6	48	120	9,6	830	>80	3000K
11.48.120.09.20.050.840	5000x10x1,6	48	120	9,6	840	>80	4000K



[i](#) » 318



Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.48.120.09.20.300.830	30000x10x1,6	48	120	9,6	830	>80	3000K
11.48.120.09.20.300.840	30000x10x1,6	48	120	9,6	840	>80	4000K



[i](#) » 318




11.48.120.09.20.050.830



11.48.120.09.20.050.840







Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.S120.10.20.050.830	5000x8x1,5	24	120	9,6	960	>80	3000K
11.24.S120.10.20.050.840	5000x8x1,5	24	120	9,6	1040	>80	4000K



[i](#) » 318




Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.S120.10.65.050.830	5000x10x4,8	24	120	9,6	960	>80	3000K
11.24.S120.10.65.050.840	5000x10x4,8	24	120	9,6	1040	>80	4000K



[i](#) » 318






Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.120.10.20.050.923	5000x12x1,5	24	120	9,6	760	>90	2300K

» 318






Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.128.09.20.050.830	5000x8x1,5	24	128	9,6	1335	>80	3000K



[i](#) » 318






Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.192.19.20.040.930	4000x15x1,5	24	192	20,8	2250	>90	3000K
11.24.192.19.20.040.940	4000x15x1,5	24	192	20,8	2345	>90	4000K

» 318






Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.COF4.09.20.025.927	2500x4x1,6	24	COF	9	610	>90	2700K
11.24.COF4.09.20.025.930	2500x4x1,6	24	COF	9	680	>90	3000K
11.24.COF4.09.20.025.940	2500x4x1,6	24	COF	9	760	>90	4000K




(i) » 318



Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.COF8.09.20.050.930	5000x8x1,6	24	COF	9	640	>90	3000K
11.24.COF8.09.20.050.940	5000x8x1,6	24	COF	9	640	>90	4000K



(i) » 318



Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	CRI	Color T(K)
11.24.COF8.09.67.050.930	5000x10x4,8	24	COF	9	640	>90	3000K
11.24.COF8.09.67.050.940	5000x10x4,8	24	COF	9	640	>90	4000K



(i) » 318



11.24.COF4.09.20.025.927





11.24.COF4.09.20.025.930



11.24.COF4.09.20.025.940






Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	Color T(K)
11.24.120.11.20.050.RGB	5000x8x1,5	24	120	11	430	RGB
						Red
						Green
						Blue




[i](#) » 318




Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	Color T(K)
11.24.168.16.20.050.RGB	5000x10x1,5	24	168	17,3	534	RGB
						Red
						Green
						Blue



[i](#) » 318






Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	Color T(K)
11.24.60.19.20.050.RGBW	5000x12x2,1	24	60	19,2	430	RGB
					/	Red
					/	Green
					/	Blue
					703	3000K



i » 318






Code	Size (mm)	DC(V)	LEDs/m (pcs)	Max. W/m	LM/m	Color T(K)
11.24.140.17.20.050.927-960	5000x10x1,6	24	140	19,2	1710	2700-6000K



[i](#) » 318






Code	Size (mm)	DC(V)	Max. W/m	LM/m	CRI	Color T(K)
11.24.D18.14.65.050.930	5000xØ18	24	16	800	>90	3000K
11.24.D18.14.65.050.940	5000xØ18	24	16	800	>90	4000K



[i](#) » 318




Code	Size (mm)	DC(V)	Max. W/m	LM/m	CRI	Color T(K)
11.24.D25.14.65.050.930	5000xØ25	24	16	950	>90	3000K
11.24.D25.14.65.050.940	5000xØ25	24	16	950	>90	4000K



[i](#) » 318

FLEXY 48



Code	Product Lumen/m	Power Watt/m	Color T (K)	CRI	DC (V)	Color
11.48N.2010.5.500.827	140	5,8	2700	>80	48	White
11.48N.2010.5.500.830	140	5,8	3000	>80	48	White




» 318

ACCESSORIES


	END CAP One end cap +one plug	11.SECAP.WH
	Installation clip	11.CLIP.ALUE
	Installation profile	11.S1000.ALU
	Gum filler 10ml	11.GLU.10



PROFILE COUNTUR




Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.4033.25	Profile x 1	2500x59x58	Aluminum	Silver
	Diffuser x 1	2500x34,2x10,2	Polycarbonate	Opal
	End cap x 2	46,1x26,4x1,5	Polycarbonate	Silver
12.4033.EC	End cap	46,1x26,4x1,5	Polycarbonate	Silver




(i) » 318



PROFILE CENTRAL 1




Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.2013.25	Profile x 1	2500x60x13	Aluminum	Silver
	Diffuser x 1	2500x16,7x7,8	Polycarbonate	Opal
	End cap x 2	20x20x4,5	Polycarbonate	Silver
12.2013.EC	End cap	20x20x4,5	Polycarbonate	Silver




(i) » 318

PROFILE COUNTUR TRIM




Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.2409.25	Profile x 1	2500x23,8x8,8	Aluminum	Silver
	Diffuser x 1	2500x6,4x2,8	Polycarbonate	Opal
	End cap x 2	23,8x8,8x13,3	Polycarbonate	Silver
12.2409.EC	End cap	23,8x8,8x13,3	Polycarbonate	Silver




(i) » 318

PROFILE CENTRAL 2




Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.3524.25	Profile x 1	2500x85x24	Aluminum	Silver
	Diffuser x 1	2500x34,2x10,2	Polycarbonate	Opal
	End cap x 2	38,6x24x2	Polycarbonate	Silver
12.3524.EC	End cap	38,6x24x2	Polycarbonate	Silver




(i) » 318

PROFILE MINI TRIM





Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.2513.25	Profile x 1	2500x25x13	Aluminum	Silver
	Diffuser x 1	2500x14,7x4,5	Polycarbonate	Opal
	End cap x 2	25x13x11	Polycarbonate	Silver
12.2513.EC	End cap	25x13x11	Polycarbonate	Silver



(i) » 318

PROFILE IN





Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.1212.IN.25	Profile x 1	2500x45,4x25,1	Aluminum	Silver
	Diffuser x 1	2500x11x4,6	Polycarbonate	Opal
	End cap x 2	12,5x13,3x6,7	Polycarbonate	Silver
12.1212.IN.EC	End cap	12,5x13,3x6,7	Polycarbonate	Silver



(i) » 318

PROFILE OUT




Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.1212.OUT.25	Profile x 1	2500x50x22,3	Aluminum	Silver
	Diffuser x 1	2500x11x4,6	Polycarbonate	Opal
	End cap x 2	22,1x15x7	Polycarbonate	Silver
12.1212.OUT.EC	End cap	22,1x15x7	Polycarbonate	Silver




(i) » 318



PROFILE W&T IN



Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.1417.WT.IN.25	Profile	2500x43x43	Aluminum	Silver
12.1417.WT.IN.DIF	Diffuser	1000x14x3	Polycarbonate	Opal
12.1417.WT.IN.EC	End cap	15,2x12,2x7	Polycarbonate	Silver




[i](#) » 318

PROFILE IN SURF




Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.1616.25	Profile x 1	2500x16x16	Aluminum	Silver
	Diffuser x 1	2500x19,4x6	Polycarbonate	Opal
	End cap x 2	16x16x6,5	Polycarbonate	Silver
12.1616.EC	End cap	16x16x6,5	Polycarbonate	Silver




[i](#) » 318

PROFILE W&T OUT





Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.2510.WT.OUT.25	Profile x 1	2500x36x36	Aluminum	Silver
	Diffuser x 1	2500x18,9x6,5	Polycarbonate	Opal
	End cap x 2	22,6x13,34x7	Polycarbonate	Silver
12.2510.WT.OUT.EC	End cap	22,6x13,34x7	Polycarbonate	Silver



[i](#) » 318

PROFILE FLOOR IN





Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.2127.25	Profile x 1	2500x21,3x26,1	Aluminum	Silver
	Diffuser x 1	2500x19x5	Polycarbonate	Opal
	End cap x 2	25,8x21,4x6	Polycarbonate	Silver
12.2127.EC	End cap	25,8x21,4x6	Polycarbonate	Silver



(i) » 318

PROFILE FLOOR





Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.1032.25	Profile x 1	2500x31,7x99,5	Aluminum	Silver
	Diffuser x 1	2500x13,7x8,5	Polycarbonate	Opal



(i) » 318

PROFILE FLOOR IN




Code	Components (pcs)	Dimensions (mm): LxWxH	Material	Color
12.2711.25	Profile x 1	2500x27,1x11	Aluminum	Silver
	Diffuser x 1	2500x11x10	Polycarbonate	Opal
	End cap x 2	27x11x10	Polycarbonate	Silver
12.2711.EC	End cap	27x11x10	Polycarbonate	Silver



(i) » 318



SHIELD FOR TUB M





	Code	Color
Replaceable shield	06.A05SH.BR	Brass
	06.A05SH.CP	Copper

CE ENEC IP20

MATERIAL | AL

SHIELD L FOR TUB M





	Code	Color
Replaceable shield L	06.A05SHL.BR	Brass
	06.A05SHL.CP	Copper

CE ENEC IP20


MATERIAL | AL

WALL WASHER FOR TUB M





Code	
Replaceable wall washer, black color	06.A05WW
CE ENEC IP20 MATERIAL PC	

DIFFUSER FOGGY FOR TUB M




Code	
Replaceable foggy diffuser	06.A05SFT
CE ENEC IP20 MATERIAL PC	

SNOOT FOR TUB M





Code	
Replaceable snoot, black color	06.A05NB
CE ENEC IP20 MATERIAL PC	

DIFFUSER LINE FOR TUB M





Code	
Replaceable line diffuser	06.A05ELPS
CE ENEC IP20 MATERIAL PC	

FOGGY COWER FOR TUB M




Code	
Replaceable foggy cover, mat white color	06.A05FG
CE ENEC IP20 MATERIAL GL	

HONEYCOMB FOR TUB



	Model	Size	Code
Replaceable honeycomb, black color	TUB S	23 mm	06.A03HC
	TUB M	43 mm	06.A05HC
	TUB L	62 mm	06.A07HC
CE ENEC IP20 MATERIAL AL			

LENS



			Code
Series TUB S		Lens 24°	06.A03LS24
Series TUB M		Lens 15°	06.A05LS15
		Lens 30°	06.A05LS30
Series NANO		Lens 12°	01.A39LS12
		Lens 30°	01.A39LS30
Series SOL		Lens 12°	06.A09LS12

CE ENEC IP20 MATERIAL | PC


RING FOR SOL MINI



	Color	Code
Replaceable ring series SOL MINI	White	SOL M RING WHITE
	Black	SOL M RING BLACK
	Diamond black	SOL M RING DIAMOND BLACK
	Brass	SOL M RING BRASS
	Copper	SOL M RING COPPER
	Chrome	SOL M RING CHROME

CE ENEC IP20 MATERIAL | AL


RING FOR SOL



	Color	Code
Replaceable ring series SOL	White	SOL RING WHITE
	Black	SOL RING BLACK
	Diamond black	SOL RING DIAMOND BLACK
	Brass	SOL M RING BRASS
	Copper	SOL RING COPPER
	Chrome	SOL RING CHROME

CE ENEC IP20 MATERIAL | AL


SHIELD FOR NANO R



	Color	Code
Replaceable shield series NANO R	White	01.A390.WH
	Black	01.A390.BK
	Brass	01.A390.BR
	Copper	01.A390.CP

CE ENEC IP20 MATERIAL | AL

SHIELD FOR NANO S



	Color	Code
Replaceable shield series NANO S	White	01.A391.WH
	Black	01.A391.BK
	Brass	01.A391.BR
	Copper	01.A391.CP

CE ENEC IP20 MATERIAL | AL

SYMBOLS GLOSSARY

NOTE CONCERNING THE VALUES INDICATED IN THIS CATALOGUE

The power (W) and luminous flux (Lm) values indicated in this catalogue correspond to the luminaire.

LUMEN

The lumen (lm) is the unit that measures the luminous flux, a measurement of the luminous output emitted by the source. The luminous flux is the measurement of total luminous output emitted by a lamp and that is perceived by the human eye.

CRI

A color rendering index (CRI) is a quantitative measure of the ability of a light source to reveal the colors of various objects faithfully in comparison with an ideal or natural light source.

















COLOR TEMPERATURE

The color temperature from a light Source is measured in degrees Kelvin (K). Color temperatures over 5000K are known as cold colors (blue-white) while temperatures between 2700 and 3000K are considered as warm colors.



















IP CODE

Coding system that indicates the levels of protection achieved by means of a coating against access to hazardous parts, intrusion of solid foreign bodies and water ingress. The IP code is composed of two digits located immediately after the letters "IP", and whose meaning is explained in the table below:

SYMBOLS GLOSSARY

-  Protected against the ingress of solid bodies greater than \varnothing 12 mm. No protection against the ingress of moisture
-  Protected against the ingress of solid bodies greater than \varnothing 2,5mm. Protected against sprays of water
-  Protected against the ingress of solid bodies greater than \varnothing 1 mm. No protection against the ingress of moisture
-  Protected against the ingress of solid bodies greater than \varnothing 1 mm. Protected against rain
-  Protected against the ingress of solid bodies greater than \varnothing 1 mm. Protected against splashing water
-  Protected against the ingress of dust. Protected against jets of water
-  Protected against the ingress of dust. Protected from powerful jets of water
-  Protected against the ingress of dust. Protected against immersion in water for limited periods
-  Protected against the ingress of dust. Protected against total immersion in water for an indefinite period (depth shown in meters)
-  Class I. Fitting whose protection against electric shock is based on earth wiring
-  Class II. Fitting whose protection against electric shock is based on reinforced double insulation
-  Class III. Fitting whose protection against electric shock is based on a safety extra low voltage supply SELV, in which voltages higher than those of SELV are not generated
-  Suitable for installation on normally flammable surfaces
-  Product in conformity with the requirements of relevant European Safety standards
-  Product in conformity with the requirements of relevant Eurasian standards
-  Product in conformity with the requirements of relevant Ukrainian standards

SYMBOLS GLOSSARY

	LED lamp		Fitting hole for recessed luminaires in mm
	Electronic control gear included		Recommended height
	Control gear not included		Tilting angle
	Made of		Minimum bend radius
	Diffuser		Length of roll
AL	Aluminum		-LEDs/cut Cutting length
PC	Polycarbonate		RGB color change
INOX	Stainless steel		Tunable white color change
PMMA	Polymethyl methacrylate		Light distribution: wall-washing
GL	Glass		Recommended tape width
48V	Power supply voltage 48V		Light transmission of diffuser
42V	Power supply voltage 42V		Installation in wooden panels
24V	Power supply voltage 24V		Installed before facing
STEEL	Low profile metal casing		

Lightonix sp. z o.o
Ul. Hoza, 86 lok. 410
00-682 Warszawa
Poland
Tel.: +48 516 808 834
e-mail: info@ltx-led.com
www.ltx-led.com

